

WESTERN BIRDS, INDEX, VOLUME 48, 2017

Compiled by Daniel D. Gibson

- Able, Kenneth P., *see* Pandolfino, E. R.
Acanthis flammea, 97, 270
Accipiter cooperii, 7
 gentilis, 251
 striatus, 250–251
Actitis macularius, 6, 238
aculeata, *Sitta carolinensis*, 26–34
Aethia cristatella, 243
 psittacula, 243
Agapornis roseicollis, 91
Agelaius phoeniceus, 280
aikeni, *Junco hyemalis*, 102, 108
alascensis, *Calcarius lapponicus*, 270
 Certhia americana, 259
Alauda arvensis, 258
Albatross, Black-footed, 247
 Laysan, 247
 Short-tailed, 247
aleuticus, *Ptychoramphus aleuticus*,
 242–243
aliciae, *Catharus minimus*, 263–266
Almazán-Núñez, R. Carlos, *see* Torres-
 Jiménez, J. G.
Amazonia beryllina, 80
 rutila, 5
Amazona finschi, 8, 16
 oratrix, 8
americana, *Bucephala clangula*,
 228–229
 Fulica americana, 230
americanus, *Mergus merganser*, 229
Ammodramus savannarum, 35–55
amoenus, *Regulus satrapa*, 262
Anas acuta, 226
 americana, 225
 clypeata, 5, 12, 226
 crecca, 5, 77, 226
 cyanoptera, 5, 226
 discors, 5, 12, 226
 formosa, 77
 penelope, 225
 platyrhynchos, 225–226
 querquedula, 226
 strepera, 225
anatum/tundrius, *Falco peregrinus*,
 253–254
Anhinga, 105
Anhinga anhinga, 105
Ani, Groove-billed, 5, 13, 79
Anser albifrons, 223
Anthus cervinus, 267–268
 hodgsoni, 267
 rubescens, 9, 268–269
Antigone canadensis, 230
Antrostomus ridgwayi, 79
Apus pacificus, 230
Archilochus alexandri, 58–59
 colubris, 60–64, 80
articola, *Eremophila alpestris*, 258
arctolegus, *Agelaius phoeniceus*, 280
Ardea alba, 7
 herodias, 7, 250
Ardenna bulleri, 247–248
 carneipes, 248
 creatopus, 248
 grisea, 88, 248
 tenuirostris, 248
Arenaria interpres, 6, 80–81, 233
 melanocephala, 6, 233
arizonae, *Spizella passerina*, 275
arra, *Uria lomvia*, 242
Artemisiospiza nevadensis, 35–55
Asio flammeus, 251
Athene cunicularia, 8
atricapillus, *Accipiter gentilis*, 251
auduboni, *Setophaga coronata*, 10
Auklet, Cassin's, 242–243
 Crested, 243
 Parakeet, 243
 Rhinoceros, 243
Aythya affinis, 227
 americana, 227
 collaris, 227
 ferina, 227
 marila, 227
 valisineria, 226–227

banksi, *Setophaga petechia*, 273
barrovianus, *Larus hyperboreus*, 246
Bartramia longicauda, 80, 231–232
Basileuterus lachrymosus, 101, 108
 rufifrons, 101
Bassett, Fred, *see* Cubie, D.
baueri, *Limosa lapponica*, 232–233
Becard, Rose-throated, 9, 94, 106
Benesh, Chris D., Book Review: *Water-
 fowl of North America, Europe &
 Asia*, 65–67
bensoni, *Callipepla douglasii*,
 180–195
beringiae, *Limosa fedoa*, 233
Blackbird, Brewer's, 205–210

INDEX

- Red-winged, 280
 Rusty, 103, 205–210, 280
 Blanco, Diego C., DeRaad, Devon A.,
 and Maley, James M., Geographic
 Variation and Intergradation in the
 Elegant Quail, 181–196
 Bluebird, Mountain, 263
 Western, 173–180
 Bobolink, 103, 109
Bombycilla cedrorum, 9, 267
 garrulus, 267
 Bond, Laura, *see* Miller, R. A.
 Booby, Blue-footed, 7, 88
 Brown, 7, 88
borealis, *Lanius excubitor*, 255
 Bowman, Aaron, *see* Robinson, B. W.
Brachyramphus brevirostris, 242
 marmoratus, 242
brachyrhynchus, *Larus canus*, 245
 Brambling, 269
 Brant, 77, 224
Branta bernicla, 77, 224
 canadensis, 224
 hutchinsii, 77, 224
brewsteri, *Empidonax traillii*, 254
Bubo scandiacus, 251
Bubulcus ibis, 7
Bucephala albeola, 228
 clangula, 228–229
 islandica, 229
 Bufflehead, 228
 Bunting, Indigo, 11
 Painted, 11
 Rustic, 279
 Snow, 107, 270
 Varied, 11, 21
Buteo brachyurus, 90–91, 105
 jamaicensis, 7
 lagopus, 251
 lineatus, 90, 105
Buteogallus anthracinus, 7
Butorides virescens, 7, 15

caerulescens, *Chen caerulescens*, 224
Calcarius lapponicus, 98, 107, 270
 pictus, 98, 270
Calidris acuminata, 81, 233–234
 alba, 6, 13, 234
 alpina, 6, 234
 bairdii, 6, 235
 canutus, 6, 81, 104, 233
 ferruginea, 234
 fuscicollis, 81, 105
 himantopus, 6, 234
 mauri, 6, 236–237
 melanotos, 6, 236
 minutilla, 6, 235–236
 ptilocnemis, 234–235
 pugnax, 81, 233
 pusilla, 236
 ruficollis, 234
 subruficollis, 81, 236
 virgata, 6, 233
californica, *Polioptila californica*,
 124–140
californicus, *Podiceps nigricollis*, 230
Callipepla douglasii, 5, 181–196
campicola, *Geothlypis trichas*, 272
Camptostoma imberbe, 8
canadensis, *Antigone canadensis*, 230
 Canvasback, 226–227
capitalis, *Leptotila verreauxi*, 5
 Caracara, Crested, 8
 Caracara cheriway, 8
Cardellina canadensis, 101
 pusilla, 10, 21, 274
 Cardinal, Northern, 11
Cardinalis cardinalis, 11
 Carlisle, Jay D., *see* Miller, R. A.
carolinensis, *Anas crecca*, 226
 Pandion haliaetus, 250
carolinus, *Euphagus carolinus*, 280
 Catbird, Gray, 266
Cathartes aura, 7
Catharus guttatus, 266
 minimus, 263–266
 ustulatus, 9, 266
caurina/kenaiensis, *Melospiza melo-*
dia, 276–277
caurinus, *Limnodromus griseus*,
 237–238
celata, *Oreothlypis celata*, 271–272
Cepphus columba, 242
Cerorhinca monocerata, 243
Certhia americana, 154–172, 259
Chaetura pelagica, 79
Chamaea fasciata, 154–172
Charadrius hiaticula, 231
 nivosus, 6
 semipalmatus, 6, 231
 vociferus, 6, 231
 Chat, Red-breasted, 11
 Yellow-breasted, 154–172
Chen caerulescens, 224
 canagica, 223–224
 Chickadee, Black-capped, 95, 259
 Chestnut-backed, 154–172
chilcatensis/townsendi, *Passerella*

INDEX

- iliaca*, 276
Chloroceryle americana, 8
Chondestes grammacus, 10, 21, 35–55
Chondrohierax uncinatus, 7, 15–16
Chordeiles acutipennis, 5
 minor, 230
Chroicocephalus philadelphia, 6, 244–245
cincinatus, *Phalacrocorax auritus*, 249
cinnamomea, *Tringa solitaria*, 238
Circus cyaneus, 7, 250
Cistothorus platensis, 97, 106
Clangula hyemalis, 228
Coccyzus minor, 5, 13
Colaptes auratus, 252
 Collared-Dove, Eurasian, 5, 12
columba, *Cepphus columba*, 242
Columba livia, 5
columbarius, *Falco columbarius*, 252
columbianus, *Cygnus columbianus*, 225
Columbina inca, 5
Contopus cooperi, 254
 sordidulus, 8, 154–172, 254
 virens, 91, 105
 Cooper, Daniel S., Mongolo, Jennifer, and Dellith, Chris, Status of the California Gnatcatcher at the Northern Edge of Its Range, 124–140
cooperi, *Contopus cooperi*, 254
 Coot, American, 5, 13, 230
Coragyps atratus, 7
 Cormorant, Double-crested, 249
 Pelagic, 249–250
 Red-faced, 249
cornutus, *Podiceps auritus*, 229
Corvus corax, 258
couesi, *Calidris ptilocnemis*, 235
 Cowbird, Brown-headed, 11, 21, 113–123
 Cowell, Samuel, Sullivan, Kim, Domgaard, Hannah, Lorscheider, Sara, Panoussi, Mariah, Parrish, Lindsey, Rodman, Taryn, Lorenz, Teresa, and Fischer, Phil, Tag-Team Takeover: Usurpation of Woodpecker Nests by Western Bluebirds, 173–180
 Crane, Sandhill, 230
crecca, *Anas crecca*, 77, 226
 Creeper, Brown, 154–172, 259
 Crossbill, Red, 269
 White-winged, 269–270
Crotophaga sulcirostris, 5, 13, 79
 Cruzado Cortés, Juan, *see* Gómez de Silva, H.
 Cruz Nieto, Javier, *see* Gómez de Silva, H.
 Cruz Nieto, Miguel Angel, *see* Gómez de Silva, H.
 Cubie, Doreen, and Bassett, Fred, Extreme Hummingbirds: Three Species North of the 55th Parallel, 60–64
 Cuckoo, Mangrove, 5, 13
 Curlew, Bristle-thighed, 232
 Long-billed, 6
Cyanocitta cristata, 95
Cygnus buccinator, 77, 104, 224–225
 columbianus, 225
 cygnus, 225
Cynanthus latirostris, 5
Cypseloides niger, 79, 104

 Davis, Jeff N., Carotenism in the Purple Finch, 69–71
 DeCicco, Lucas H., Gibson, Daniel D., Tobish, Theodore G. Jr., Heinl, Steven C., Hajdukovich, Nicholas R., Johnson, James A., and Wright, Charles W., Birds of Middleton Island, A Unique Landfall for Migrants in the Gulf of Alaska, 214–293; *see also* Robinson, B. W.
deglandi, *Melanitta fusca*, 228
 Dellith, Chris, *see* Cooper, D. S.
 DeRaad, Devon A., *see* Blanco, D. C.
 Dickcissel, 11
discolor, *Setophaga discolor*, 274
Dolichonyx oryzivorus, 103, 109
 Domgaard, Hannah, *see* Cowell, S.
douglasii, *Callipepla douglasii*, 181–196
 Dove, Common Ground-, 5
 Eurasian Collared-, 5, 12
 Inca, 5
 Mourning, 5, 12
 White-tipped, 5
 White-winged, 5
 Dowitcher, Long-billed, 6, 238
 Short-billed, 6, 237–238
Dryocopus pileatus, 154–172
 Duck, Harlequin, 227–228

INDEX

- Long-tailed, 228
 Ring-necked, 227
 Ruddy, 229
Dumetella carolinensis, 266
 Dunlin, 6, 234
 Dunn, Jon L., *see* Pandolfino, E. R.
 Dybala, Kristen E., *see* Trochet, J. A.
- Eagle, Bald, 250
 Egret, Cattle, 7
 Great, 7
 Reddish, 88
 Snowy, 7
Egretta caerulea, 7
 rufescens, 88
 thula, 7
 tricolor, 7
 Eider, Steller's, 227
 Elaenia, Greenish, 8
Elanoides forficatus, 90
Emberiza rustica, 279
Empidonax alnorum, 254
 difficilis, 8, 154–172
 flaviventris, 91–92, 254
 hammondii, 255
 minimus, 8, 16, 92, 105, 255
 oberholseri, 255
 traillii, 254
 wrightii, 35–55
 Engilis, Andrew Jr., *see* Trochet, J. A.
 Engilis, Irene E., *see* Trochet, J. A.
Eremophila alpestris, 35–55, 258
ericrypta, *Melospiza georgiana*, 278
erythrogaster, *Hirundo rustica*,
 197–204, 259
 Estrada-Ramírez, Antonio, *see* Torres-
 Jiménez, J. G.
Eudocimus albus, 90
Euphagus carolinus, 103, 205–210,
 280
 cianocephalus, 205–210
Euptilotis neoxenus, 91
- Falco columbarius*, 8, 252
 peregrinus, 8, 16, 150–151,
 253–254
 ruficularis, 8
 rusticolus, 252–253
 sparverius, 8, 252
 subbuteo, 252
 Falcon, Bat, 8
 Peregrine, 8, 16, 150–151,
 253–254
fannini, *Ardea herodias*, 250
- Ficedula albicilla*, 263
 Finch, Asian Rosy-, 141–144
 Cassin's, 9
 Gray-crowned Rosy-, 97, 269
 Purple, 107–111, 269
 Fischer, Phil, *see* Cowell, S.
flammea, *Acanthis flammea*, 270
 Piranga bidentata, 10
flammeus, *Asio flammeus*, 251
flava, *Eremophila alpestris*, 258
 Flicker, Northern, 252
 Flycatcher, Alder, 254
 Brown-crested, 8
 Dusky, 255
 Dusky-capped, 8
 Gray, 35–55
 Great Crested, 94, 255
 Hammond's, 255
 Least, 8, 16, 92, 105, 255
 Nutting's, 92–94, 106
 Olive-sided, 254
 Pacific-slope, 8, 154–172
 Taiga, 263
 Tufted, 91
 Vermilion, 8, 16
 Willow, 254
 Yellow-bellied, 91–92, 254
Forpus cyanopygius, 8
forreri, *Vireo flavoviridis*, 9
francescae, *Granatellus venustus*, 11
Fratercula cirrhata, 243
 corniculata, 243
Fregata magnificens, 7, 88
 Frigatebird, Magnificent, 7, 88
Fringilla montifringilla, 269
Fulica americana, 5, 13, 230
 Fulmar, Northern, 247
Fulmarus glacialis, 247
fumosus, *Buteo jamaicensis*, 7
fuscatus, *Phylloscopus fuscatus*, 262
- Gadwall, 225
Gallinago delicata, 6, 238
Gallinula galeata, 5, 13
 Gallinule, Common, 5, 13
 Purple, 80
gambelii, *Zonotrichia leucophrys*, 278
 Garganey, 226
 Garrett, Kimball L., *see* Pandolfino,
 E. R.
Gavia adamsii, 87, 247
 arctica, 246
 immer, 247
 pacifica, 246–247

INDEX

- stellata*, 86, 246
Geothlypis formosa, 99
philadelphia, 99, 272
tolmiei, 10, 20, 272
trichas, 272
 Gibson, Daniel D., *see* DeCicco, L. H.
 Gnatcatcher, Black-capped, 97
 Blue-gray, 9, 17
 California, 124–140
 Godwit, Bar-tailed, 232–233
 Hudsonian, 80, 232
 Marbled, 6, 233
 Goldeneye, Barrow's, 229
 Common, 228–229
 Golden-Plover, American, 6, 80, 231
 Pacific, 80, 231
 Goldfinch, Lesser, 10
goldmani, *Trogon elegans*, 8
 Gómez de Silva, Héctor, Pérez Vil-
 lafaña, Mónica G., Cruz Nieto,
 Javier, Cruzado Cortés, Juan, Ham-
 ilton, Robert A., Vásquez Vásquez,
 Santiago, and Cruz Nieto, Miguel
 Ángel, Review of the Avifauna of
 the Tres Marias Islands, Mexico,
 Including New and Noteworthy
 Records, 2–25
 Goose, Cackling, 77, 224
 Canada, 224
 Emperor, 223–224
 Greater White-fronted, 223
 Snow, 224
 Goshawk, Northern, 251
gracilis, *Melospiza lincolni*, 278
 Grackle, Common, 103, 109
 Great-tailed, 11
Granatellus venustus, 11
graysoni, *Amazilia rutila*, 5
 Picoides scalaris, 8
 Turdus rufopalliatius, 9
graysonii, *Icterus pustulatus*, 11
 Grebe, Eared, 5, 230
 Horned, 229
 Least, 78, 104
 Pied-billed, 5, 56–57
 Red-necked, 78–79, 229–230
grinnelli, *Regulus calendula*, 262
 Grosbeak, Black-headed, 11, 21, 279
 Rose-breasted, 279
 Yellow, 103
 Ground-Dove, Common, 5
 Guillemot, Pigeon, 242
 Gull, Bonaparte's, 6, 244–245
 California, 245
 Glaucous, 85, 246
 Glaucous-winged, 84, 246
 Heermann's, 7
 Herring, 7, 245
 Iceland, 245
 Ivory, 82
 Laughing, 7, 82–84
 Lesser Black-backed, 84
 Little, 82
 Mew, 84, 105, 245
 Ring-billed, 7, 245
 Ross's, 150–151
 Sabine's, 244
 Slaty-backed, 245–246
 Thayer's, 84, 105
 Western, 84, 105
 Western/Yellow-footed, 7, 14
guttatus, *Catharus guttatus*, 266
gutturialis, *Hirundo rustica*, 197–204
 Gyrfalcon, 252–253

Haematopus bachmani, 230–231
 palliatius, 6
Haemorrhous cassinii, 9
 purpureus, 69–71, 107, 269
 Hajdukovich, Nicholas R., *see* DeCicco,
 L. H.
Haliaeetus leucocephalus, 250
 Hamilton, Robert A., *see* Gómez de
 Silva, H.
 Harrier, Northern, 7, 250
 Hauser, Scott, *see* Robinson, B. W.
 Hawk, Common Black, 7
 Cooper's, 7
 Red-shouldered, 90, 105
 Red-tailed, 7
 Rough-legged, 251
 Sharp-shinned, 250–251
 Short-tailed, 90–91, 105
 Hayes, Floyd E., *see* Scholz, S.
 Heintz, Steven C., *see* DeCicco, L. H.
Heliomaster constantii, 79–80, 104
helleri, *Troglodytes pacificus*,
 259–262
 Helmericks, Isaac J., First Records of
 the Asian Rosy-Finch in Alaska and
 North America, 141–144
Helmitheros vermivorum, 98
 Heron, Great Blue, 7, 250
 Green, 7, 15
 Little Blue, 7
 Tricolored, 7
 Yellow-crowned Night-, 7
Himantopus mexicanus, 5

INDEX

- Hirundo rustica*, 9, 17, 197–204, 259
Histrionicus histrionicus, 227–228
 Hobby, Eurasian, 252
holboellii, *Podiceps grisegena*,
 229–230
hooveri, *Setophaga coronata*, 274
hudsonicus, *Numenius phaeopus*,
 232
hudsonius, *Circus cyaneus*, 250
 Hummingbird, Allen's, 154–172
 Berylline, 80
 Black-chinned, 58–59
 Broad-billed, 5
 Calliope, 60–64
 Cinnamon, 5
 Ruby-throated, 60–64, 80
 Rufous, 5, 60–64, 154–172, 230
 Hunn, Eugene, Book Review: *Birds of
 the Pacific Northwest: A Photo-
 graphic Guide*, 148–149
Hydrocoloeus minutus, 82
Hydroprogne caspia, 7, 15, 246
hyemalis, *Junco hyemalis*, 279
hyemalis × *oreganus*, *Junco hyemalis*,
 279
Hylocichla mustelina, 9, 17, 97, 107
 Ibis, Glossy, 90, 105
 White, 90
 White-faced, 7
Icteria virens, 154–172
Icterus bullockii, 11, 21
 cucullatus, 11, 21
 galbula, 104, 109
 pustulatus, 11, 104, 109
 spurius, 103–104, 109
 wagleri, 109
iliaca, *Passerella iliaca*, 102, 108
impedita, *Callipepla douglasii*,
 181–196
incanus, *Catharus ustulatus*, 266
inornata, *Uria aalge*, 241–242
insignis/kenaiensis, *Melospiza melo-
 dia*, 276–277
insularis, *Forpus cyanopygius*, 8
 Myadestes occidentalis, 9
 Nyctidromus albicollis, 5
 Pachyrhamphus aglaiae, 9, 94, 106
 Setophaga pitiayumi, 10
interpres, *Arenaria interpres*, 233
 Irons, David S., see Musher, L. J.
Ixoreus naevius, 266
 Jaeger, Long-tailed, 81–82, 241
 Parasitic, 81, 240–241
 Pomarine, 81, 239–240
japonicus, *Anthus rubescens*, 269
 Jay, Blue, 95
 Johnson, James A., see DeCicco, L. H.
 Junco, Dark-eyed, 102, 108, 154–
 172, 279
Junco hyemalis, 102, 108, 154–172,
 279
 Kaltenecker, Gregory S., see Miller,
 R. A.
kenaiensis/caurina, *Melospiza melo-
 dia*, 276–277
kenaiensis/insignis, *Melospiza melo-
 dia*, 276–277
 Kestrel, American, 8, 252
 Killdeer, 6, 231
 Kingbird, Eastern, 255
 Tropical, 9
 Western, 9, 16
 Kingfisher, Belted, 8, 251
 Green, 8
 Ringed, 8
 Kinglet, Golden-crowned, 262
 Ruby-crowned, 9, 17, 262
 Kite, Hook-billed, 7, 15–16
 Swallow-tailed, 90
 Kittiwake, Black-legged, 82, 243–244
 Red-legged, 244
 Knot, Red, 6, 81, 104, 233
kumlieni, *Larus glaucooides*, 245
Lagopus muta, 229
languens, *Callipepla douglasii*,
 181–196
Lanius excubitor, 255
 ludovicianus, 35–55
 Lark, Horned, 35–55, 258
Larus argentatus, 7, 245
 californicus, 245
 canus, 84, 105, 245
 delawarensis, 7, 245
 fuscus, 84
 glaucescens, 84, 246
 glaucooides, 245
 heermanni, 7
 hyperboreus, 85, 246
 occidentalis, 84, 105
 occidentalis/liuensis, 7, 14
 schistisagus, 245–246
 thayeri, 84, 105
 Lasprugato, Dawn, see Pandolfino,
 E. R.

INDEX

- latifascia*, *Emberiza rustica*, 279
lawrencei, *Cyananthus latirostris*, 5
lawrencii, *Pheugopedius felix*, 9
Leptotila verreauxi, 5
Leucophaeus atricilla, 7, 82–84
leucoptera, *Loxia leucoptera*,
 269–270
leucorhoa, *Oceanodroma leucorhoa*,
 249
Leucosticte arctoa, 141–144
 tephrocotis, 97, 269
Limnodromus griseus, 6, 237–238
 scolopaceus, 6, 238
Limosa fedoa, 6, 233
 haemastica, 80, 232
 lapponica, 232–233
littoralis, *Leucosticte tephrocotis*, 269
longirostris, *Melanotis caerulescens*, 9
 Longspur, Lapland, 98, 107, 270
 Smith's, 98, 270
 Loon, Arctic, 246
 Common, 247
 Pacific, 246–247
 Red-throated, 86, 246
 Yellow-billed, 87, 247
Lophodytes cucullatus, 154–172, 229
 Lorenz, Teresa, *see* Cowell, S.
 Lorscheider, Sara, *see* Cowell, S.
 Lovebird, Rosy-faced, 91
Loxia curvirostra, 269
 leucoptera, 269–270
 lutescens, *Oreothlypis celata*,
 271–272
 luteus, *Colaptes auratus*, 252

madrensis, *Patagioenas flavirostris*, 5
 Maley, James M., *see* Blanco, D. C.
 Mallard, 225–226
mariae, *Cardinalis cardinalis*, 11
 Meadowlark, Western, 35–55
Megaceryle alcyon, 8, 251
 torquata, 8
Megascops (sp.), 8
Melanitta americana, 77–78, 228
 fusca, 228
 perspicillata, 228
melanocephalus, *Pheucticus melano-*
cephalus, 279
Melanotis caerulescens, 9, 107
Melospiza georgiana, 278
 lincolni, 10, 278
 melodia, 276–278
 Merganser, Common, 229
 Hooded, 154–172, 229
 Red-breasted, 5, 229
Mergus merganser, 229
 serrator, 5, 229
 Merlin, 8, 252
merrilli, *Melospiza melodia*, 277–278
meruloides, *Ixoreus naevius*, 266
Micrathene whitneyi, 8, 16
 Migas, Patrick N., *see* Miller, R. A.
migratorius, *Turdus migratorius*, 266
 Miller, Robert A., Bond, Laura, Migas,
 Patrick N., Carlisle, Jay D., and
 Kaltenecker, Gregory S., Con-
 trasting Habitat Associations of
 Sagebrush-Steppe Songbirds in the
 Intermountain West, 35–55
Mimus polyglottos, 9, 266–267
minima, *Branta hutchinsii*, 224
 Myiopagis viridicata, 8
minor, *Chordeiles minor*, 230
 Loxia curvirostra, 269
Mitrephanes phaeocercus, 91
Mniotilta varia, 10
 Mockingbird, Blue, 9, 107
 Northern, 9, 266–267
Molothrus ater, 11, 21, 113–123
 Mongolo, Jennifer, *see* Cooper, D. S.
monilis, *Patagioenas fasciata*, 230
Motacilla tschutschensis, 267
 Murre, Common, 241–242
 Thick-billed, 242
 Murrelet, Ancient, 242
 Kittlitz's, 242
 Marbled, 242
 Musher, Lukas J., Pyle, Peter, Irons,
 David S., and Tietz, James R.,
 Identification of Male *Euphagus*
 Blackbirds in Fresh Fall Plumages,
 205–210
Myadestes occidentalis, 9, 107
 townsendi, 263
Myiarchus crinitus, 94, 255
 nuttingi, 92–94, 106
 tuberculifer, 8
 tyrannulus, 8
Myioborus miniatus, 101, 108
Myiopagis viridicata, 8

nearctica, *Aythya marila*, 227
nelsoni, *Lagopus muta*, 229
 Picoides pubescens, 252
 Nighthawk, Common, 230
 Lesser, 5
 Night-Heron, Yellow-crowned, 7
 Nightjar, Buff-collared, 79

INDEX

- nigricans*, *Branta bernicla*, 224
nivalis, *Plectrophenax nivalis*, 270
Numenius americanus, 6
 phaeopus, 6, 13, 232
 tahitiensis, 232
 Nuthatch, Red-breasted, 259
 White-breasted, 26–34
Nyctanassa violacea, 7
Nyctidromus albicollis, 5
- occidentalis*, *Branta canadensis*, 224
Oceanodroma furcata, 249
 leucorhoa, 249
ochracea, *Spizelloides arborea*,
 274–275
oenanthe, *Oenanthe oenanthe*, 263
Oenanthe oenanthe, 263
olivaceus, *Vireo olivaceus*, 258
Onychoprion aleuticus, 246
 fuscatus, 7
oreganus, *Junco hyemalis*, 279
oreganus × *hyemalis*, *Junco hyemalis*,
 279
Oreoscoptes montanus, 35–55
Oreothlypis celata, 10, 19–20,
 154–172, 271–272
 peregrina, 10, 19, 98–99, 107,
 271
 ruficapilla, 10, 20, 272
 superciliosa, 98
 Oriole, Baltimore, 104, 109
 Black-vented, 109
 Bullock's, 11, 21
 Hooded, 11, 21
 Orchard, 103–104, 109
 Streak-backed, 11, 104, 109
 Ortega, Catherine P., see Ortega, J. C.
 Ortega, Joseph C., and Ortega,
 Catherine P., Age Structure of
 Adult Brown-headed Cowbirds in
 Southwest Colorado, 113–123
 Osprey, 7, 250
 Ovenbird, 10
 Owl, Barn, 8, 16
 Burrowing, 7
 Elf, 8, 16
 Short-eared, 251
 Snowy, 251
Oxyura jamaicensis, 229
 Oystercatcher, American, 6
 Black, 230–231
- Pachyramphus aglaiae*, 9, 94
pacifica, *Calidris alpina*, 234
pacificus, *Anthus rubescens*, 268–269
 Apus pacificus, 230
Pagophila eburnea, 82
pallescens, *Stercorarius longicaudus*,
 241
pallida, *Caracara cheriway*, 8
pallidiceps, *Bombycilla garrulus*, 267
palmarum, *Setophaga palmarum*,
 274
Pandion haliaetus, 7, 250
 Pandolfino, Edward R., Able, Kenneth
 P., Dunn, Jon L., Garrett, Kimball
 L., and Lasprugato, Dawn, Ranges
 of the Subspecies of the White-
 breasted Nuthatch in California.
 26–34
 Panoussi, Mariah, see Cowell, S.
Parkesia motacilla, 10, 17
 noveboracensis, 10, 17, 270–271
 Parrish, Lindsey, see Cowell, S.
 Parrot, Lilac-crowned, 8, 16
 Yellow-headed, 8
 Parrotlet, Mexican, 8
 Parula, Northern, 272
 Tropical, 10, 99
parvipes, *Branta canadensis*, 224
Passer domesticus, 9, 17
Passerculus sandwichensis, 35–55,
 108, 275
Passerella iliaca, 102, 108, 275–276
Passerina ciris, 11
 cyanea, 11
 versicolor, 11, 21
Patagioenas fasciata, 230
 flavirostris, 5
 Pauraque, Common, 5
pealei, *Falco peregrinus*, 253–254
pekinensis, *Alauda arvensis*, 258
Pelecanus occidentalis, 7
 Pelican, Brown, 7
 Pérez Villafaña, Mónica G., see Gómez
 de Silva, H.
 Petrel, Fork-tailed Storm-, 249
 Hawaiian, 87–88
 Leach's Storm-, 249
 Mottled, 247
Petrochelidon fulva, 95, 106
 pyrrhonota, 259
 Pewee, Eastern Wood-, 91, 105
 Western Wood-, 8, 154–172, 254
Phaethon aethereus, 7, 85
Phalacrocorax auritus, 249
 pelagicus, 249–250
 urile, 249

INDEX

- Phalarope, Red, 6, 13–14, 239
 Red-necked, 239
 Wilson's, 6
- Phalaropus fulicarius*, 6, 13–14, 239
lobatus, 239
tricolor, 6
- Pheucticus chrysopheplus*, 103
ludovicianus, 279
melanocephalus, 11, 21, 279
- Pheugopedius felix*, 9
- Phoebastria albatrus*, 247
immutabilis, 247
nigripes, 247
- Phoebe, Eastern, 145–147
 Say's, 255
- Phylloscopus fuscatus*, 262
inornatus, 262–263
sibilatrix, 262
- Picoides arcticus*, 173–180
pubescens, 252
scalaris, 8
villosus, 154–172, 173–180
- Pigeon, Band-tailed, 230
 Rock, 5
- pileolata*, *Cardellina pusilla*, 274
- Pintail, Northern, 226
- pinus*, *Spinus pinus*, 270
- Pipilo chlorurus*, 35–55
- Pipit, American, 9, 268–269
 Olive-backed, 267
 Red-throated, 267–268
- Piranga bidentata*, 10, 102, 108–109
ludoviciana, 10, 154–172, 279
olivacea, 102, 108
- Platalea ajaja*, 90
- platyrhynchos*, *Anas platyrhynchos*,
 225–226
- Plectrophenax nivalis*, 107, 270
- Plegadis chihi*, 7
falcinellus, 90, 105
- Plover, American Golden-, 6, 80, 231
 Black-bellied, 6, 231
 Common Ringed, 231
 Pacific Golden-, 80, 231
 Semipalmated, 6, 231
 Snowy, 6
- Pluvialis dominica*, 6, 80, 231
fulva, 80, 231
squatarola, 6, 231
- Pochar, Common, 227
- Podiceps auritus*, 229
griseogenus, 78–79, 229–230
nigricollis, 5, 230
- Podilymbus podiceps*, 5, 56–57
- Poecile atricapillus*, 95, 259
rufescens, 154–172
- Polioptila caerulea*, 9, 17
californica, 124–140
nigriceps, 97
- pollicaris*, *Rissa tridactyla*, 243–244
- polyglottos*, *Mimus polyglottos*,
 266–267
- Polysticta stelleri*, 227
- Poocetes gramineus*, 10, 35–55
- Porphyrio martinicus*, 80
- principalis*, *Corvus corax*, 258
- Ptarmigan, Rock, 229
- Pterodroma inexpectata*, 247
sandwichensis, 87–88
- ptilocnemis*, *Calidris ptilocnemis*, 235
- Ptychoramphus aleuticus*, 242–243
- Puffin, Horned, 243
 Tufted, 243
- Puffinus puffinus*, 248–249
- purpureus*, *Haemorrhous purpureus*,
 269
- pusillus*, *Vireo bellii*, 154–172
- Pyle, Peter, see Musher, L. J.
- Pyrocephalus rubinus*, 8, 16
- pyrrhonota*, *Petrochelidon pyrrhonota*, 259
- Quail, Elegant, 5, 181–196
- Quetzal, Eared, 91
- Quiscalus mexicanus*, 11
quiscula, 103, 109
- Rademaker, Kurt, see Rosenberg, G. H.
- Rail, Virginia, 5
- Rallus limicola*, 5
- Raven, Common, 258
- Redhead, 227
- Redpoll, Common, 97, 270
- Redstart, American, 10, 20, 272
 Slate-throated, 101, 108
- Regulus calendula*, 9, 17, 262
satrapa, 262
- Rhodostethia rosea*, 150–151
- Ridgwayia pinicola*, 97, 107
- riparia*, *Riparia riparia*, 259
- Riparia riparia*, 259
- Rissa brevirostris*, 244
tridactyla, 82, 243–244
- Robin, American, 266
 Rufous-backed, 9
- Robinson, Bryce W., and DeCicco,
 Lucas H., Notes on Eurasian Barn
 Swallows in Alaska, Including the

INDEX

- First Documentation of Successful Breeding in North America, 197–204; and DeCicco, Lucas H., Bowman, Aaron, Hauser, Scott, and Wright, John M., First Record of the Eastern Phoebe Breeding in Alaska: Extralimital by 2000 km, 145–147
- rodgersii*, *Fulmarus glacialis*, 247
- Rodman, Taryn, *see* Cowell, S.
- roselaari*, *Calidris canutus*, 233
- Rosenberg, Gary H., Radamaker, Kurt, and Vander Pluym, David, Arizona Bird Committee Report, 2010–2014 Records, 74–112
- rostratus*, *Passerculus sandwichensis*, 108
- Rosy-Finch, Asian, 141–144
 - Gray-crowned, 97, 269
- ruber*, *Sphyrapicus ruber*, 251–252
- rubida*, *Oxyura jamaicensis*, 229
- rubiginosa*, *Setophaga petechia*, 273
- Ruff, 81, 233
- ruficapilla*, *Oreothlypis ruficapilla*, 272
- rustica*, *Hirundo rustica*, 197–204
- Rynchops niger*, 85, 105
- sanctijohannis*, *Buteo lagopus*, 251
- Sanderling, 6, 13, 234
- Sandpiper, Baird's, 6, 235
 - Buff-breasted, 81, 236
 - Curlw, 234
 - Least, 6, 235–236
 - Pectoral, 6, 236
 - Rock, 234–235
 - Semipalmated, 236
 - Sharp-tailed, 81, 232–234
 - Solitary, 6, 238
 - Spotted, 6, 238
 - Stilt, 6, 234
 - Upland, 80, 231–232
 - Western, 6, 236–237
 - White-rumped, 81, 10, 105
- sandwichensis*, *Passerculus sandwichensis*, 275
- Sapsucker, Red-breasted, 251–252
 - Yellow-bellied, 8, 16, 251
- Saxicola torquatus*, 263
- Sayornis phoebe*, 145–147
 - saya*, 255
- Scaup, Greater, 227
 - Lesser, 227
- Scholz, Suzanne, and Hayes, Floyd E.,
 - Pied-billed Grebe Predation on a Common Yellowthroat, 56–57
 - Scoter, Black, 77–78, 228
 - Surf, 228
 - White-winged, 228
 - screech-owl (sp.), 8
 - Seedeater, White-collared, 10
 - Seiurus aurocapilla*, 10
 - Selasphorus calliope*, 60–64
 - rufus*, 5, 60–64, 154–172, 230
 - sasin*, 154–172
 - septentrionalium*, *Anas cyanoptera*, 226
 - Setophaga americana*, 272
 - castanea*, 99
 - coronata*, 10, 274
 - discolor*, 100, 274
 - dominica*, 10, 20, 100, 108
 - fusca*, 99–100, 107
 - magnolia*, 99, 272–273
 - nigrescens*, 10
 - palmarum*, 100, 108, 274
 - pennsylvanica*, 273
 - petechia*, 10, 20, 154–172, 273
 - pinus*, 100
 - pitiayumi*, 10, 99
 - ruticilla*, 10, 20, 272
 - striata*, 100, 108, 273
 - tigrina*, 99, 107, 272
 - townsendi*, 10, 274
 - virens*, 101
 - Shearwater, Buller's, 247–248
 - Flesh-footed, 248
 - Manx, 248–249
 - Pink-footed, 248
 - Short-tailed, 248
 - Sooty, 88, 248
 - Shoveler, Northern, 12, 226
 - Shrike, Loggerhead, 35–55
 - Northern, 255
 - Sialia currucoides*, 263
 - mexicana*, 173–180
 - sinuosa*, *Passerella iliaca*, 275–276
 - sinuosa* × *zaboria*, *Passerella iliaca*, 276
 - Siskin, Pine, 270
 - Sitta canadensis*, 259
 - carolinensis*, 25–34
 - Skimmer, Black, 85, 105
 - Skua, South Polar, 239
 - Skylark, Eurasian, 258
 - smithsonianus*, *Larus argentatus*, 245
 - Snipe, Wilson's, 6, 238
 - Sole, Pete, Peregrine Falcons Attack

INDEX

- a Ross's Gull in Central Coastal California, 150–151
- Solitaire, Brown-backed, 9, 107
 - Townsend's, 263
- solitarius*, *Vireo solitarius*, 255
- sordidus*, *Vireo hypochryseus*, 9
- Sparrow, American Tree, 101–102, 274–275
 - Brewer's, 35–55
 - Chipping, 275
 - Clay-colored, 275
 - Field, 102, 108
 - Fox, 102, 108, 275–276
 - Golden-crowned, 278–279
 - Grasshopper, 35–55
 - Harris's, 278
 - House, 9, 17
 - Lark, 10, 21, 35–55
 - Lincoln's, 10, 278
 - Sagebrush, 35–55
 - Savannah, 35–55, 108, 275
 - Song, 276–278
 - Swamp, 278
 - Vesper, 10, 35–55
 - White-crowned, 10, 278
 - White-throated, 278
- sparverius*, *Falco sparverius*, 252
- Sphyrapicus ruber*, 251–252
 - varius*, 8, 16, 251
- Spinus pinus*, 270
 - psaltria*, 10
- Spiza americana*, 11
- Spizella breweri*, 35–55
 - pallida*, 275
 - passerina*, 275
 - pusilla*, 102, 108
 - (sp.), 10
- Spizelloides arborea*, 101–102, 274–275
- sponsa*, *Anser albifrons*, 223
- Spoonbill, Roseate, 90
- Sporophila torqueola*, 10
- Starling, European, 267
- Starthroat, Plain-capped, 79–80, 104
- stejnegeri*, *Saxicola torquatus*, 263
- Stelgidopteryx serripennis*, 9, 17
- Stercorarius longicaudus*, 81–82, 241
 - maccormicki*, 239
 - parasiticus*, 81, 240–241
 - pomarinus*, 81, 239–240
 - (sp.), 82
- Sterna paradisaea*, 85, 246
- Sternula antillarum*, 7, 14
- Stilt, Black-necked, 5
 - Stint, Red-necked, 234
 - Stonechat, 263
 - Storm-Petrel, Fork-tailed, 249
 - Leach's, 249
 - strepera*, *Anas strepera*, 225
 - Streptopelia decaocto*, 12
 - Sturnella neglecta*, 35–55
 - Sturnus vulgaris*, 267
 - subbuteo*, *Falco subbuteo*, 252
 - Sula leucogaster*, 7, 88
 - nebouxii*, 7, 88
 - Sullivan, Kim, *see* Cowell, S.
 - Surfbird, 6, 233
 - swainsoni*, *Vireo gilvus*, 255–256
 - Swallow, Bank, 259
 - Barn, 9, 17, 197–204, 259
 - Cave, 95, 106
 - Cliff, 259
 - Mangrove, 9
 - Northern Rough-winged, 9, 17
 - Tree, 258
 - Violet-green, 258–259
 - Swan, Trumpeter, 77, 104, 224–225
 - Tundra, 225
 - Whooper, 225
 - Swift, Black, 79, 104
 - Chimney, 79
 - Fork-tailed, 230
 - Synthliboramphus antiquus*, 242
- Tachybaptus dominicus*, 78, 104
- Tachycineta albilinea*, 9
 - bicolor*, 258
 - thalassina*, 258–259
- Tanager, Flame-colored, 10, 102, 108–109
 - Scarlet, 102, 108
 - Western, 10, 154–172, 279
- Tattler, Gray-tailed, 238
 - Wandering, 6, 238–239
- Teal, Baikal, 77
 - Blue-winged, 5, 12, 226
 - Cinnamon, 5, 226
 - Green-winged, 5, 77, 226
- tenuissima*, *Sitta carolinensis*, 26–34
- teres*, *Callipepla douglasii*, 181–196
- Tern, Aleutian, 246
 - Arctic, 85, 246
 - Caspian, 7, 15, 246
 - Elegant, 7, 85, 105
 - Least, 7, 14
 - Royal, 7
 - Sooty, 7
- Thalasseus elegans*, 7, 85, 105

INDEX

- maximus*, 7
thalassina, *Tachycineta thalassina*, 258–259
thayeri, *Larus glaucooides*, 245
 Thrasher, California, 154–172
 Sage, 35–55
 Thrush, Aztec, 97, 107
 Gray-cheeked, 263–266
 Hermit, 266
 Swainson's, 9, 266
 Varied, 266
 White-throated, 9, 17
 Wood, 9, 17, 97, 107
Thryophilus sinaloa, 97
 Tietz, James R., see Musher, L. J.
 Tobish, Theodore G. Jr., see DeCicco, L. H.
tolmiei, *Geothlypis tolmiei*, 272
 Torres-Jiménez, José Gilberto,
 Almazán-Núñez, R. Carlos, and
 Estrada-Ramírez, Antonio, Black-
 chinned Hummingbird Captured
 in Web of the Spider *Nephila*
 clavipes in Mexico, 58–59
 Towhee, Green-tailed, 35–55
townsendi, *Myadestes townsendi*, 263
townsendi/chilcatensis, *Passerella*
 iliaca, 276
Toxostoma redivivum, 154–172
tresmariae, *Amazona oratrix*,
Tringa brevipes, 238
 flavipes, 6, 239
 incana, 6, 238–239
 melanoleuca, 239
 semipalmata, 6
 solitaria, 6, 238
 Trochet, John A., Engilis, Andrew Jr.,
 Truan, Melanie L., Engilis, Irene E.,
 Walsh, Robert A., Whisler, Edward,
 and Dybala, Kristen E., New and
 Extralimital Records of Breeding
 Birds for Putah Creek, California,
 154–172
Troglodytes hiemalis, 95, 106
 pacificus, 259–262
 Trogon, Elegant, 8
Trogon elegans, 8
 Tropicbird, Red-billed, 7, 85
 Truan, Melanie L., see Trochet, J. A.
tschuktschorum, *Calidris ptilocnemis*,
 234–235
tschutschensis, *Motacilla tschut-*
 schensis, 267
tundrae, *Charadrius hiaticula*, 231
tundrius/anatum, *Falco peregrinus*,
 253–254
Turdus assimilis, 9, 17
 migratorius, 266
 rufopalliatus, 9
turneri, *Poecile atricapillus*, 259
 Turnstone, Black, 6, 233
 Ruddy, 6, 80–81, 233
 Tyrannulet, Northern Beardless, 8
Tyrannus melancholicus, 9
 tyrannus, 255
 verticalis, 9, 16
Tyto alba, 8, 16
Uria aalge, 241–242
 lomvia, 242
 Vander Pluym, David, see Rosenberg,
 G. H.
variegatus, *Numenius phaeopus*, 232
 Vásquez Vásquez, Santiago, see Gómez
 de Silva, H.
veliei, *Contopus sordidulus*, 254
velox, *Accipiter striatus*, 250–251
Vermivora chrysoptera, 98
 cyanoptera, 98, 107
 Vireo, Bell's, 154–172
 Blue-headed, 94, 106, 255
 Cassin's, 9
 Golden, 9
 Philadelphia, 94, 106, 255
 Red-eyed, 94, 106, 258
 Warbling, 9, 17, 154–172,
 255–256
 White-eyed, 94
 Yellow-green, 9, 95, 106
 Yellow-throated, 94
Vireo bellii, 154–172
 cassinii, 9
 flavifrons, 94
 flavoviridis, 9, 95, 106
 gilvus, 9, 17, 154–172, 255–256
 griseus, 94
 hypochryseus, 9
 olivaceus, 94, 106, 258
 philadelphicus, 94, 106, 255
 solitarius, 94, 106, 255
viridigularis, *Gavia arctica*, 246
vociferus, *Charadrius vociferus*, 231
vulgaris, *Sturnus vulgaris*, 267
 Vulture, Black, 7
 Turkey, 7
 Wagtail, Eastern Yellow, 267

INDEX

- Walsh, Robert A., *see* Trochet, J. A.
- Warbler, Audubon's, 10
- Bay-breasted, 99
 - Black-and-white, 10
 - Blackburnian, 99–100, 107
 - Blackpoll, 100, 108, 273
 - Black-throated Gray, 10
 - Black-throated Green, 101
 - Blue-winged, 98, 107
 - Canada, 101
 - Cape May, 99, 107, 272
 - Chestnut-sided, 273
 - Crescent-chested, 98
 - Dusky, 262
 - Fan-tailed, 101, 108
 - Golden-winged, 98
 - Kentucky, 99
 - MacGillivray's, 10, 20, 272
 - Magnolia, 99, 272–273
 - Mourning, 99, 272
 - Nashville, 10, 20, 272
 - Orange-crowned, 10, 19–20, 154–172, 271–272
 - Palm, 100, 108, 274
 - Pine, 100
 - Prairie, 100, 274
 - Rufous-capped, 101
 - Tennessee, 10, 19, 98–99, 107, 271
 - Townsend's, 10, 274
 - Wilson's, 10, 21, 274
 - Wood, 262
 - Worm-eating, 98
 - Yellow, 10, 20, 154–172, 273
 - Yellow-browed, 262–263
 - Yellow-rumped, 274
 - Yellow-throated, 10, 20, 100, 108
- Waterthrush, Louisiana, 10, 17
- Northern, 10, 17, 270–271
- Waxwing, Bohemian, 267
- Cedar, 9, 267
- Wheatear, Northern, 263
- Whimbrel, 6, 13, 232
- Whisler, Edward, *see* Trochet, J. A.
- Wigeon, American, 225
- Eurasian, 225
- Willet, 6
- witti*, *Spinus psaltria*, 10
- Woodpecker, Black-backed, 173–180
- Downy, 252
 - Hairy, 154–172, 173–180
 - Ladder-backed, 8
 - Pileated, 154–172
- Wood-Pewee, Eastern, 91, 105
- Western, 8, 154–172, 254
- Wren, Happy, 9
- Pacific, 259–262
 - Sedge, 97, 106
 - Sinaloa, 97
 - Winter, 95, 106
- Wrentit, 154–172
- Wright, Charles W., *see* DeCicco, L. H.
- Wright, John M., *see* Robinson, B. W.
- Xema sabini*, 244
- Yellowlegs, Greater, 239
- Lesser, 6, 239
- Yellowthroat, Common, 272
- yukonensis*, *Sayornis saya*, 255
 - yunnanensis*, *Anthus hodgsoni*, 267
- zaboria*, *Passerella iliaca*, 102, 276
- zaboria* × *sinuosa*, *Passerella iliaca*, 276
- Zenaida asiatica*, 5
- macroura*, 5, 12
- Zonotrichia albicollis*, 278
- atricapilla*, 278–279
 - leucophrys*, 10, 278
 - querula*, 278