

WESTERN BIRDS, INDEX, VOLUME 47, 2016

Compiled by Daniel D. Gibson

- Acanthis flammea*, 22–23
 hornemanni, 110–111, 114
Actitis hypoleucos, 167–169
 macularius, 138–150
Aechmophorus clarkii, 138–150
Aegolius acadicus, 227–230
Aethia cristatella, 112
Agelaius phoeniceus, 138–150
 tricolor, 138–150
Aix sponsa, 138–150
Albatross, Chatham, 293
 Salvin's, 293
 Short-tailed, 5, 89, 294
Ammodramus leconteii, 21, 288, 308
 sauannarum, 133, 138–150, 288
Anas acuta, 138–150
 americana, 138–150
 clypeata, 138–150
 crecca, 138–150
 cyanoptera, 138–150
 discors, 138–150
 falcata, 88, 293
 platyrhynchos, 138–150
 querquedula, 88, 293
 rubripes, 111, 277
 strepera, 138–150
Anser albifrons, 138–150
 serrirostris, 4
Anthus hodgsoni, 287, 307
 rubescens, 138–150
Antrostomus carolinensis, 283
 vociferus, 16
Aphelocoma californica, 138–150
Apus apus, 16–17
Archilochus alexandri, 138–150
 colubris, 17, 283, 304
Ardea alba, 138–150
 herodias, 138–150
Arenaria interpres, 128
Asio flammeus, 151–160
Athene cunicularia, 138–150
Auklet, Crested, 112
Avocet, American, 138–150
Aythya affinis, 138–150
 americana, 138–150
 collaris, 138–150
 fuligula, 88–89, 111
 valisineria, 138–150
Baeolophus inornatus, 138–150
Bartels, Matt, *see* Mlodinow, S. G.
Bean-Goose, Tundra, 4
Beauprez, Grant M., *see* Meyer, R. A.
berryorum, *Rallus longirostris*, 262–273
bewickii, *Cygnus columbianus*, 88
Bittern, American, 138–150
Blackbird, Brewer's, 138–150
 Red-winged, 138–150
 Rusty, 22, 288, 309
 Tricolored, 138–150
 Yellow-headed, 138–150
Blailles, Princess, *see* Olsen, A. R.
Bluebird, Western, 138–150
Bombycilla cedrorum, 138–150
Booby, Blue-footed, 7–9, 296
 Brown, 90, 124
 Masked, 6, 294
 Masked/Nazca, 6, 294
 Nazca, 6–7, 58–66, 294
Botaurus lentiginosus, 138–150
Brachyramphus perdix, 94–95, 112
Brambling, 110, 114, 309
Brant, 122
Branta bernicla, 122
 canadensis, 138–150
 leucopsis, 114
Bubo scandiacus, 130
 virginianus, 138–150
Bubulcus ibis, 138–150
Bunting, Indigo, 109
 Lazuli, 138–150
 Little, 21
 McKay's, 104–106
 Painted, 109, 114, 135, 288
 Rustic, 308
 Snow, 20, 307
 Varied, 308–309
Bushtit, 102, 138–150
Bushuev, Andrey V., and Ershova, Elizaveta A., A record of a Siberian Ruby-throat in the Arctic Ocean, 74–75
Buteo brachyurus, 10
 jamaicensis, 138–150, 234–236
 lineatus, 91, 325–326
 lineatus × *Buteogallus anthracinus*, 325–326
 plagiatus, 10, 177–179, 299
 platypterus, 91, 111–112
 swainsoni, 138–150
Buteogallus anthracinus, 126, 278, 310, 325–326
 × *Buteo lineatus*, 325–326

INDEX

- Butorides virescens*, 138–150
- Calcarius ornatus*, 102, 133
pictus, 102
- Calidris falcinellus*, 302
ferruginea, 12–13, 94, 112
fuscicollis, 13, 94, 112
mauri, 138–150
minuta, 13, 58–66
minutilla, 138–150
pugnax, 128, 279
ruficollis, 13, 94, 112, 303
subruficollis, 128, 279–282
- Callipepla californica*, 138–150
- Calonectris diomedea*, 294
- Calypte anna*, 138–150, 237–241
costae, 99, 112–113
- Canvasback, 138–150
- Caracara, Crested, 17, 304–305
- Caracara cheriway*, 17, 304–305
- Cardellina canadensis*, 107
pusilla, 138–150
rubrifrons, 21, 133, 308
- Cardinal, Northern, 114–115, 134–135
- Cardinalis cardinalis*, 114–115, 134–135
sinuatus, 21–22, 135
- Carling, Matthew D., *see* Maley, J. M.
- Carlisle, Jay, Southernmost breeding of the Northern Hawk Owl in the United States, 81–83
- Cathartes aura*, 138–150
- Catharus fuscescens*, 20, 132, 307
minimus, 113, 287, 307
- Catherpes mexicanus*, 50–57
- Chamaea fasciata*, 138–150
- Charadrius hiaticula*, 112
mongolus, 10, 91, 299
montanus, 91–94
nivosus, 38–49
semipalmatus, 138–150
vociferus, 138–150
wilsonia, 10, 91, 300
- Chen, Po-Hao, *see* Olsen, A. R.
- Chen caerulescens*, 138–150
canagica, 4, 88, 111
- Chlidonias niger*, 182–213
- Choi, Chang-Yong, and Xiao, Xiangming, Collision of a Red-tailed Hawk with an artificial duck-nesting structure, 234–236
- Chondestes grammacus*, 138–150
- Chroicocephalus ridibundus*, 97, 303
- Chuck-will's-widow, 283
- Circus cyaneus*, 138–150, 231–233
- Cistothorus palustris*, 138–150
- Coccyzus americanus*, 98
- Columbina passerina*, 282
talpacoti, 282–283
- Contopus sordidulus*, 138–150
virens, 17, 99, 305
- Coot, American, 138–150
- Coragyps atratus*, 9–10, 299
- Cormorant, Double-crested, 138–150
 Neotropical, 9, 124, 277–279
 Red-faced, 9, 111
- Corvus brachyrhynchos*, 138–150
corax, 138–150
- Cowbird, Bronzed, 135
 Brown-headed, 138–150
- Crow, American, 138–150
- Cuckoo, Yellow-billed, 98
- Culbertson, Eric B., First documented record of the Gray Hawk in California, 177–179
- Curlew, Long-billed, 138–150
- Cyanocitta cristata*, 132, 287, 306
- Cygnus buccinator*, 277
columbianus, 88
- Cyanthus latirostris*, 17, 304
- Daniels, Brian E., *see* Rottenborn, S. C.
- David, Reginald E., *see* Pratt, T. K.
- Dendrocygna autumnalis*, 292
- Dickcissel, 109, 135
- DiGaudio, Ryan, *see* Kahara, S. N.
- Dixon, Mark D., *see* Swanson, D. L.
- Dove, Common Ground-, 282
 Mourning, 138–150
 Ruddy Ground-, 282–283
 White-winged, 98
- Dowitcher, Long-billed, 138–150
- Duck, American Black, 111, 277
 Black-bellied Whistling-, 292
 Falcated, 88, 293
 Ring-necked, 138–150
 Ruddy, 138–150
 Tufted, 88–89, 111
 Wood, 138–150
- Duffy, Walter G., *see* Kahara, S. N.
- Dunn, Jon L., *see* Singer, D. S.
- Eberdong, Milang, *see* Olsen, A. R.
- Egret, Cattle, 138–150
 Great, 138–150
 Reddish, 126
 Snowy, 91, 138–150
- Egretta caerulea*, 91, 125–126

INDEX

- rufescens*, 126
thula, 91, 138–150
 Eider, Common, 89
 King, 4, 293
Elanoides forficatus, 10
Elanus leucurus, 126, 138–150
Emberiza pusilla, 21
 rustica, 308
Empidonax alnorum, 113
 flaviventris, 17, 305
Eremophila alpestris, 138–150
 Erickson, Richard A., Allen's Hummingbird nests in Mexico: Expansion of *Selasphorus sasin sedentarius* into Baja California, 161–166
 Ershova, Elizaveta A., *see* Bushuev, A. V.
Eudocimus albus, 297
Eugenes fulgens, 283
Euphagus carolinus, 22, 288, 309
 cianocephalus, 138–150

Falco rusticolus, 305
 sparverius, 138–150
 Finch, House, 138–150
 Purple, 110, 114, 288–289
 Fletcher, Dawn, Vander Pluym, David, Preston, Mel, and Leist, Amy, Canyon Wrens breeding in desert riparian vegetation: First records in a novel habitat, 50–57
 Flycatcher, Alder, 113
 Ash-throated, 138–150
 Dusky-capped, 17–18, 305
 Great Crested, 18, 305
 Scissor-tailed, 100, 132
 Sulphur-bellied, 306
 Vermilion, 100
 Yellow-bellied, 17, 305
Fratercula corniculata, 95–96, 112
Fregata magnificens, 6, 124, 296
 magnificens/minor/ariel, 6, 296–297
Fregata (sp.), 90
 Frigatebird, Magnificent, 6, 124, 296
 Magnificent/Great/Lesser, 6, 296–297
 frigatebird (sp.), 90
Fringilla montifringilla, 110, 114, 309
Fulica americana, 138–150

 Gadwall, 138–150
Gallinula galeata, 138–150
 Gallinule, Common, 138–150
 Gannet, Northern, 310
 Garganey, 88, 293
 Garrett, John F., and Garrett, Kimball L.,
 The Pin-tailed Whydah as a brood parasite of the Scaly-breasted Munia in southern California, 314–322; *see* Rottenborn, S. C.
 Garrett, Kimball L., *see* Garrett, J. F.
Gavia adamsii, 5, 122, 293
 arctica, 5, 111, 293
 stellata, 122, 277
Geothlypis formosa, 287
 philadelphia, 20, 113, 308
 trichas, 138–150
 Gnatcatcher, Blue-gray, 102
 Godwit, Bar-tailed, 12
 Hudsonian, 12, 302
 Golden-Plover, American, 279
 Goldfinch, American, 138–150
 Lawrence's, 111
 Goose, Barnacle, 114
 Canada, 138–150
 Emperor, 4, 88, 111
 Greater White-fronted, 138–150
 Snow, 138–150
 Tundra Bean-, 4
 Grackle, Common, 22, 109–110, 309
 Great-tailed, 110, 138–150
 Grebe, Clark's, 138–150
 Great Crested, 111
 Pied-billed, 138–150
 Grosbeak, Black-headed, 138–150
 Blue, 138–150
 Ground-Dove, Common, 282
 Ruddy, 282–283
 Gull, Black-headed, 97, 303
 Black-tailed, 97, 112, 303
 Glaucous, 130, 282
 Great Black-backed, 15
 Heermann's, 129, 282
 Herring, 97–98
 Iceland, 13–15, 98, 112, 303
 Lesser Black-backed, 98, 129–130, 282
 Little, 13, 129, 303
 Mew, 129
 Ring-billed, 138–150
 Ross's, 97
 Slaty-backed, 15, 98, 303–304
 Western, 129, 170–172
 Yellow-legged, 303
 Gyrfalcon, 305

Haemorrhous mexicanus, 138–150
 purpureus, 110, 114, 288–289
 Haines, David B., *see* Shuford, W. D.
 Harrier, Northern, 138–150, 231–233

INDEX

- Harter, Lauren B., Book Review: *Better Birding: Tips, Tools & Concepts for the Field*, 173–175; Book Review: *Listening to a Continent Sing: Bird-song by Bicycle from the Atlantic to the Pacific*, 323–324; see Singer, D. S.
- Hawk, Broad-winged, 91, 111–112
 Common Black, 126, 278, 310, 325–326
 Common Black × Red-shouldered, 325–326
 Gray, 10, 177–179, 299
 Harris's, 126–128
 Red-shouldered, 91, 325–326
 Red-tailed, 138–150, 234–236
 Short-tailed, 10
 Swainson's, 138–150
- Heath, Sacha K., see Shuford, W. D.
- Helmitheros vermicurum*, 308
- Heron, Black-crowned Night-, 138–150
 Great Blue, 138–150
 Green, 138–150
 Little Blue, 91, 125–126
- Himantopus mexicanus*, 138–150
- Hirundo rustica*, 138–150
- Hug, Lisa, Common Black Hawk × Red-shouldered Hawk in California, 325–326
- Hummingbird, Allen's, 161–166
 Anna's, 138–150, 237–241
 Black-chinned, 138–150
 Blue-throated, 304
 Broad-billed, 17, 304
 Broad-tailed, 113
 Costa's, 99, 112–113
 Magnificent, 283
 Ruby-throated, 17, 283, 304
- Hydrocoloeus minutus*, 13, 129, 303
- Hydroprogne caspia*, 138–150, 182–213
- Hylocichla mustelina*, 20
- Ibis, Glossy, 9, 297–299
 White, 297
 White-faced, 138–150
- Icterus bullockii*, 138–150
cucullatus, 110
galbula, 110, 136, 288
spurius, 110, 135–136, 288
- Ictinia mississippiensis*, 10, 299
- iliaca*, *Passerella iliaca*, 109, 114
- Jaeger, Long-tailed, 129, 242–257
- Parasitic, 129, 242–257, 282
 Pomarine, 242–257
- Janes, Stewart W., and Ryker, Lee, Type I and II songs of Townsend's Warblers in Oregon and Washington, 67–73
- Jay, Blue, 132, 287, 306
 Gray, 286–287
 Western Scrub-, 138–150
- Juárez, Roselvy C., see Maley, J. M.
- Kahara, Sharon N., Duffy, Walter G., DiGaudio, Ryan, and Records, Rosemary, Factors influencing nontarget bird occupancy of restored wetlands in California's Central Valley, 138–150
- Kestrel, American, 138–150
- Ketebengang, Heather, see Olsen, A. R.
- Killdeer, 138–150
- Kingbird, Couch's, 286–287
 Thick-billed, 18, 286, 306
 Tropical, 100, 130–132
 Tropical/Couch's, 100
 Western, 138–150
- Kingfisher, Belted, 138–150
- Kite, Mississippi, 10, 299
 Swallow-tailed, 10
 White-tailed, 126, 138–150
- Kittiwake, Black-legged, 129
 Red-legged, 96
- Lampornis clemenciae*, 304
- Lanius ludovicianus*, 138–150
- Lark, Horned, 138–150
- Larus argentatus*, 97–98
brachyrhynchus, 129
crassirostris, 97, 112, 303
delawarensis, 138–150
fuscus, 98, 129–130, 282
glaucoides, 13–15, 98, 112, 303
heermanni, 129, 282
hyperboreus, 130, 282
marinus, 15
michahellis, 303
occidentalis, 129, 170–172
schistisagus, 15, 98, 303–304
- Laterallus jamaicensis*, 279
- Leist, Amy, see Fletcher, D.
- Limnodromus scolopaceus*, 138–150
- Limosa haemastica*, 12, 302
lapponica, 12
- Lonchura punctulata*, 314–322
- Longspur, Chestnut-collared, 102, 133
 McCown's, 102–104, 133

INDEX

- Smith's, 102
- Loon, Arctic, 5, 111, 293
 Red-throated, 122, 277
 Yellow-billed, 5, 122, 293
- Luscinia calliope*, 74–75
- Magpie, Yellow-billed, 138–150
- Maley, James M., McCormack, John E., Tsai, Whitney L. E., Schwab, Emiko M., van Dort, John, Juárez, Roselvy C., and Carling, Matthew D., Fonseca Mangrove Rail: A new subspecies from Honduras, 262–273
- Mallard, 138–150
- Martin, Purple, 132, 287
- McCaskie, Guy, *see* Rottenborn, S. C.; *see* Singer, D. S.
- McCormack, John E., *see* Maley, J. M.
- Meadowlark, Eastern, 109
 Western, 138–150
- Megapode, Micronesian, 27–37
- Megapodius laperouse*, 27–37
- megarhyncha*, *Passerella iliaca*, 107–109
- Melanitta americana*, 122, 277
- Meleagris gallopavo*, 138–150
- Meliopoulos, Deeanne T., *see* Meyer, R. A.
- Melospiza melodia*, 138–150
- Melozone crissalis*, 138–150
- Meyer, Raymond A., Meliopoulos, Deeanne T., Beauprez, Grant M., and Williams, Sartor O. III, Breeding of the Short-eared Owl in New Mexico, 151–160
- Meyers, Martin, Nevada Bird Records Committee report for 2014, 120–137; *see* Tinsman, J.
- Micrathene whitneyi*, 16, 283, 304
- Mimus polyglottos*, 138–150
- Mlodinow, Steven, Book Review: *Rare Birds of North America*, 76–78; and Bartels, Matt, Tenth report of the Washington Bird Records Committee, 86–119
- Mniotilta varia*, 106, 113
- Mockingbird, Northern, 138–150
- Molothrus aeneus*, 135
ater, 138–150
- Morrow, Jill, *see* Morrow, L.
- Morrow, Lance, and Morrow, Jill, Northern Harriers nesting in sagebrush steppe in central Wyoming, 231–233
- Morus bassanus*, 310
- Motacilla alba*, 20
- Munia, Scaly-breasted, 314–322
- Murre, Thick-billed, 94, 112
- Murrelet, Guadalupe, 95
 Long-billed, 94–95, 112
 Scripps's, 95
 Scripps's/Craveri's, 95
 Scripps's/Guadalupe, 95
 Scripps's/Guadalupe/Craveri's, 95, 112
- Mycteria americana*, 124
- Myiarchus cinerascens*, 138–150
crinitus, 18, 305
tuberculifer, 17–18, 305
- Myioborus pictus*, 133, 288
- Myiodynastes luteiventris*, 306
- Nelson, Kristie N., *see* Shuford, W. D.
- Night-Heron, Black-crowned, 138–150
- Numenius americanus*, 138–150
phaeopus, 138–150
- Nuthatch, White-breasted, 138–150
- Nycticorax nycticorax*, 138–150
- Oceanodroma castro*, 111
homochroa, 111
microsoma, 122–124
- Oenanthe oenanthe*, 102
- Olsen, Alan R., Eberdong, Milang, Ketebengang, Heather, Blaiies, Princess, and Chen, Po-Hao, Survey of megapode nesting mounds in Palau, Micronesia, 27–37
- Onychoprion fuscatus*, 304
- Oporornis agilis*, 287, 308
- Oreothlypis celata*, 138–150
peregrina, 106, 113
ruficapilla, 106
virginiae, 214–226
- Oriole, Baltimore, 110, 136, 288
- Bullock's, 138–150
- Hooded, 110
- Orchard, 110, 135–136, 288
- Ovenbird, 106
- Owl, Burrowing, 138–150
 Elf, 16, 283, 304
 Great Horned, 138–150
 Northern Hawk, 81–83, 98–99
 Northern Saw-whet, 227–230
 Short-eared, 151–160
 Snowy, 130
- Oxyura jamaicensis*, 138–150
- Page, Gary W., *see* Shuford, W. D.

INDEX

- Palmer, Jeffrey S., *see* Swanson D. L.
- Parabuteo unicinctus*, 126–128
- Parkesia motacilla*, 20, 133, 287
- Parula, Northern, 106–107
- Passer domesticus*, 138–150
- Passerculus sandwichensis*, 138–150
- Passerella iliaca*, 107–109, 114
- Passerina amoena*, 138–150
- caerulea*, 138–150
- ciris*, 109, 114, 135, 288
- cyanea*, 109
- versicolor*, 308–309
- Paxton, Eben H., *see* Pratt, T. K.
- Pelecanus erythrorhynchus*, 138–150
- occidentalis*, 124–125, 170–172, 279
- Pelican, American White, 138–150
- Brown, 124–125, 170–172, 279
- Perisoreus canadensis*, 286–287
- Petrel, Ashy Storm-, 111
- Band-rumped Storm-, 111
- Galapagos/Hawaiian, 5
- Hawaiian, 5
- Least Storm-, 122–124
- Mottled, 89–90
- Murphy's, 89
- Stejneger's, 294
- Petrochelidon pyrrhonota*, 138–150
- Peucaea cassinii*, 308
- Pewee, Eastern Wood-, 17, 99, 305
- Western Wood-, 138–150
- Phaethon rubricauda*, 294
- Phainopepla, 113
- Phainopepla nitens*, 113
- Phalacrocorax auritus*, 138–150
- brasilianus*, 9, 124, 277–279
- urile*, 9, 111
- Phalarope, Red, 128–129
- Red-necked, 138–150
- Wilson's, 138–150
- Phalaropus fulicarius*, 128–129
- lobatus*, 138–150
- tricolor*, 138–150
- Phasianus colchicus*, 138–150
- Pheasant, Ring-necked, 138–150
- Pheucticus melanocephalus*, 138–150
- Phoebastria albatrus*, 5, 89, 294
- Phoebe, Black, 99–100, 138–150
- Eastern, 100, 113
- Pica nuttalli*, 138–150
- Picoides nuttallii*, 138–150
- pubescens*, 138–150
- Pintail, Northern, 138–150
- Pipilo maculatus*, 138–150
- Pipit, American, 138–150
- Olive-backed, 287, 307
- Piranga flava*, 133–134
- ludoviciana*, 138–150
- rubra*, 109
- Plectrophenax hyperboreus*, 104–106
- nivalis*, 20, 307
- Plegadis chihi*, 138–150
- falcinellus*, 9, 297–299
- Plover, American Golden-, 279
- Black-bellied, 138–150
- Common Ringed, 112
- Lesser Sand-, 10, 91, 299
- Mountain, 91–94
- Semipalmated, 138–150
- Snowy, 38–49
- Wilson's, 10, 91, 300
- plumbeus*, *Psaltriparus minimus*, 102
- Pluvialis dominica*, 279
- squatarola*, 138–150
- Podiceps cristatus*, 111
- Podilymbus podiceps*, 138–150
- Polioptila caerulea*, 102
- Pratt, Thane K., David, Reginald E., and Paxton, Eben H., First record of the Common Sandpiper for the Hawaiian Islands, 167–169
- Preston, Mel, *see* Fletcher, D.
- Progne subis*, 132, 287
- Psaltriparus minimus*, 102, 138–150
- Pterodroma inexpectata*, 89–90
- longirostris*, 294
- phaeopygia/sandwichensis*, 5
- sandwichensis*, 5
- ultima*, 89
- Puffin, Horned, 95–96, 112
- Puffinus gravis*, 5–6, 90
- pacificus*, 6, 90
- purpureus*, *Haemorrhous purpureus*, 110, 114
- Pyle, Peter, and Reed, Martin, Molts and plumages in the Long-tailed and other jaegers: An “alternate” explanation for nonbreeding plumages?, 242–257
- Pyrocephalus rubinus*, 100
- Pyrrhuloxia, 21–22, 135
- Quady, David E., Book Review: *Solano County Breeding Bird Atlas*, 78–79
- Quail, California, 138–150
- Quiscalus mexicanus*, 110, 138–150
- quiscula*, 22, 109–110, 309

INDEX

- Rail, Black, 279
 Mangrove, 262–273
 Virginia, 138–150
- Rallus limicola*, 138–150
longirostris, 262–273
- Raven, Common, 138–150
- Records, Rosemary, *see* Kahara, S. N.
- Recurvirostra americana*, 138–150
- Redhead, 138–150
- Redpoll, Common, 22–23
 Hoary, 110–111, 114
- Redshank, Spotted, 302
- Redstart, Painted, 133, 288
- Redwing, 113
- Reed, Martin, *see* Pyle, P.
- Rhodostethia rosea*, 97
- Rhynchophanes mccownii*, 102–104, 133
- Rissa brevirostris*, 96
tridactyla, 129
- Robin, American, 138–150
 Rufous-backed, 20, 307
- Rottenborn, Stephen C., McCaskie, Guy, Daniels, Brian E., and Garrett, John, The 39th annual report of the California Bird Records Committee: 2013 records, 2–26; *see* Yang, D-S.
- Rubythroat, Siberian, 74–75
- Rudeen, Carl, and Bassett, Fred, Apparent breeding by Anna's Hummingbird in Idaho, 237–241
- Ruff, 128, 279
ruficapilla, *Oreothlypis ruficapilla*, 106
- Ryker, Lee, *see* Janes, S. W.
- Sandpiper, Broad-billed, 302
 Buff-breasted, 128, 279–282
 Common, 167–169
 Curlew, 12–13, 94, 112
 Least, 138–150
 Marsh, 10–12, 302
 Spotted, 138–150
 Western, 138–150
 White-rumped, 13, 94, 112
 Wood, 94
- Sand-Plover, Lesser, 10, 91, 299
- Sapsucker, Yellow-bellied, 99
- Sayornis nigricans*, 99–100, 138–150
phoebe, 100, 113
- Scaup, Lesser, 138–150
- Schwab, Emiko M., *see* Maley, J. M.
- Scolopax minor*, 282
- Scoter, Black, 122, 277
- Scrub-Jay, Western, 138–150
- Searcy, Adam James, *see* Yang, D-S.
- sedentarius*, *Selasphorus sasin*, 161–166
- Seiurus aurocapilla*, 106
- Selasphorus platycercus*, 113
sasin, 161–166
- senex*, *Megapodius laperouse*, 27–37
- Sesser, Kristin A., *see* Shuford, W. D.
- Setophaga americana*, 106–107
caerulescens, 107
castanea, 107, 113
citrina, 106, 113
fusca, 113–114, 288
graciae, 21, 308
magnolia, 107
pennsylvanica, 107
petechia, 138–150
pinus, 21
striata, 107, 114
tigrina, 20–21, 308
townsendi, 67–73
- Shearwater, Cory's, 294
 Great, 5–6, 90
 Wedge-tailed, 6, 90
- Shoveler, Northern, 138–150
- Shrike, Loggerhead, 138–150
- Shuford, W. David, Page, Gary W., Heath, Sacha K., and Nelson, Kristie N., Factors influencing the abundance and distribution of the Snowy Plover at Mono Lake, California, 38–49; and Sesser, Kristin A., Strum, Khara M., Haines, David B., and Skalos, Daniel A., Numbers of terns breeding inland in California: Trends or tribulations?, 182–213
- Sialia mexicana*, 138–150
- Singer, Daniel S., Dunn, Jon L., Harter, Lauren B., and McCaskie, Guy, The 40th annual report of the California Bird Records Committee: 2014 records, 291–313
- Sitta carolinensis*, 138–150
- Skalos, Daniel A., *see* Shuford, W. D.
- Snipe, Wilson's, 138–150
- Somateria mollissima*, 89
spectabilis, 4, 293
- Sparrow, Cassin's, 308
 Field, 21
 Fox, 107, 109, 114
 Grasshopper, 133, 138–150, 288
 House, 138–150
 Lark, 138–150
 Le Conte's, 21, 288, 308

INDEX

- Savannah, 138–150
 Song, 138–150
 White-crowned, 138–150
Sphyrapicus varius, 99
Spinus lawrencei, 111
 tristis, 138–150
Spiza americana, 109, 135
Spizella pusilla, 21
 Starling, European, 138–150
Stelgidopteryx serripennis, 138–150
Stercorarius longicaudus, 129,
 242–257
 parasiticus, 129, 242–257, 282
 pomarinus, 242–257
Sterna forsteri, 138–150, 182–213
Sternula antillarum, 98
 Stilt, Black-necked, 138–150
 Stint, Little, 13, 58–66
 Red-necked, 13, 94, 112, 303
 Stork, Wood, 124
 Storm-Petrel, Ashy, 111
 Band-rumped, 111
 Least, 122–124
 Strum, Khara M., *see* Shuford, W. D.
Sturnella magna, 109
 neglecta, 138–150
Sturnus vulgaris, 138–150
Sula dactylatra, 6, 294
 dactylatra/granti, 6, 294
 granti, 6–7, 58–66, 294
 leucogaster, 90, 124
 nebouxii, 7–9, 296
Surnia ulula, 81–83, 98–99
 Swallow, Barn, 138–150
 Cliff, 138–150
 Northern Rough-winged, 138–150
 Tree, 138–150
 Swan, Trumpeter, 277
 Tundra, 88
 Swanson, David L., Dixon, Mark D., and
 Palmer, Jeffrey S., A reassessment of
 the distribution of Virginia's Warbler
 in the Black Hills of South Dakota,
 214–226
 Swift, Common, 16–17
Synthliboramphus hypoleucus, 95
 scrippsii, 95
 scrippsii/craueri, 95
 scrippsii/hypoleucus, 95
 scrippsii/hypoleucus/craueri, 95, 112

Tachycineta bicolor, 138–150
 Tanager, Hepatic, 133–134
 Summer, 109
 Western, 138–150
 Tattler, Wandering, 279
 Teal, Blue-winged, 138–150
 Cinnamon, 138–150
 Green-winged, 138–150
 Tern, Black, 183–213
 Caspian, 138–150, 183–213
 Forster's, 138–150, 183–213
 Least, 98
 Sandwich, 15–16
 Sooty, 304
 Terrill, Scott, *see* Yang, D-S.
Thalassarche eremita, 293
 salvini, 293
Thalasseus sandvicensis, 15–16
 Thrasher, Brown, 102
 Curve-billed, 287, 307, 310
 Thrush, Gray-cheeked, 113, 287, 307
 Wood, 20
Thryomanes bewickii, 138–150
 Tinsman, Jeanne, and Meyers, Martin,
 Nevada Bird Records Committee
 report for 2015, 274–290
 Titmouse, Oak, 138–150
 Towhee, California, 138–150
 Spotted, 138–150
Toxostoma curvirostre, 287, 307
 rufum, 102
Tringa erythropus, 302
 flavipes, 138–150
 glareola, 94
 incana, 279
 melanoleuca, 138–150
 stagnatilis, 10–12, 302
Troglodytes aedon, 138–150
 hiemalis, 19–20, 132, 307
 Tropicbird, Red-tailed, 294
 Tsai, Whitney L. E., *see* Maley, J. M.
Turdus iliacus, 113
 migratorius, 138–150
 *rufopalliatu*s, 20, 307
 Turkey, Wild, 138–150
 Turnstone, Ruddy, 128
Tyrannus couchii, 286–287
 crassirostris, 18, 286, 306
 forficatus, 100, 132
 melancholicus, 100, 130–132
 melancholicus/couchii, 100
 verticalis, 138–150

Uria lomvia, 94, 112

 Vander Pluym, David, A kleptoparasitic
 chase by Brown Pelicans on a Western

INDEX

- Gull, 170–172; *see* Fletcher, D.
 Van Dort, John, *see* Maley, J. M.
 Vaughan, Douglas, Renesting and probable double-brooding by Northern Saw-whet Owls: A response to prey abundance?, 227–230
 Veery, 20, 132, 307
vegae, *Larus argentatus*, 97–98
Vermivora cyanoptera, 20, 106
Vidua macroura, 314–322
 Villablanca, Francis X., *see* Yang, D-S.
 Vireo, Bell's, 100
 Blue-headed, 18–19, 100–102, 113, 306
 Philadelphia, 132
 Red-eyed, 132, 286
 Warbling, 138–150
 White-eyed, 286, 306
 Yellow-green, 19, 306
 Yellow-throated, 132
Vireo bellii, 100
 flavifrons, 132
 flavoviridis, 19, 306
 gilvus, 138–150
 griseus, 286, 306
 olivaceus, 132, 286
 philadelphicus, 132
 solitarius, 18–19, 100–102, 113, 306
v-nigrum, *Somateria mollissima*, 89
 Vulture, Black, 9–10, 299
 Turkey, 138–150

 Wagtail, White, 20
 Warbler, Bay-breasted, 107, 113
 Black-and-white, 106, 113
 Blackburnian, 113–114, 288
 Blackpoll, 107, 114
 Black-throated Blue, 107
 Blue-winged, 20, 106
 Canada, 107
 Cape May, 20–21, 308
 Chestnut-sided, 107
 Connecticut, 287, 308
 Grace's, 21, 308
 Hooded, 106, 113
 Kentucky, 287
 Magnolia, 107
 Mourning, 20, 113, 308
 Nashville, 106
 Orange-crowned, 138–150

 Pine, 21
 Red-faced, 21, 133, 308
 Tennessee, 106, 113
 Townsend's, 67–73
 Virginia's, 214–226
 Wilson's, 138–150
 Worm-eating, 308
 Yellow, 138–150
 Waterthrush, Louisiana, 20, 133, 287
 Waxwing, Cedar, 138–150
 Wheatear, Northern, 102
 Whimbrel, 138–150
 Whip-poor-will, Eastern, 16
 Whistling-Duck, Black-bellied, 292
 Whydah, Pin-tailed, 314–322
 Wigeon, American, 138–150
 Williams, Sartor O. III, *see* Meyer, R. A.
 Woodcock, American, 282
 Woodpecker, Downy, 138–150
 Nuttall's, 138–150
 Wood-Pewee, Eastern, 17, 99, 305
 Western, 138–150
 Wren, Bewick's, 138–150
 Canyon, 50–57
 House, 138–150
 Marsh, 138–150
 Winter, 19–20, 132, 307
 Wrentit, 138–150

 Xiao, Xiangming, *see* Choi, C-Y.
Xanthocephalus xanthocephalus, 138–150

 Yang, Dou-Shuan, Rottenborn, Stephen C., Terrill, Scott, Searcy, Adam James, and Villablanca, Francis X., First California records of the Little Stint and Nazca Booby confirmed through molecular analysis, 58–66
 Yellowlegs, Greater, 138–150
 Lesser, 138–150
 Yellowthroat, Common, 138–150
 Yerger, John, Book Review: *Birding by Impression: A Different Approach to Knowing and Identifying Birds*, 175–176

Zenaida asiatica, 98
 macroura, 138–150
Zonotrichia leucophrys, 138–150