

WESTERN BIRDS, INDEX, VOLUME 34, 2003

Compiled by Philip Unitt

- Accipiter cooperii*, 66, 207
 striatus, 66
Acridotheres javanicus, 123
Actitis macularia, 68
Aechmophorus clarkii, 62, 136, 138, 140, 141
 occidentalis, 62, 133, 135, 136, 137, 138, 141
Aegolius acadicus, 72, 149, 151, 152, 153
Aeronauts montivagus, 207
 saxatalis, 73, 186–224, 245
Aethia psittacula, 163
Agelaius phoeniceus, 86
 tricolor, 86
Aimophila cassinii, 16, 30, 34, 83
 ruficeps, 83
Airola, Daniel A., and Jesse Grantham, Purple Martin population status, nesting habitat characteristics, and management in Sacramento, California, 235–251
Aix galericulata, 123
 sponsa, 65, 136, 138, 142, 143
Albatross, Black-footed, 61, 62
 Laysan, 62
 Short-tailed, 60
 Shy, 18, 19, 38
Alectoris chukar, 123
Alle alle, 163
Amadina fasciata, 95
Ammodramus bairdii, 84
 leconteii, 84, 93
 nelsoni, 84
 savannarum, 84
Amphispiza belli, 84, 256–259
 billineata, 83
Anas acuta, 65, 138, 143
 americana, 65, 138, 142
 clypeata, 65, 138, 143
 crecca, 65, 136, 138, 143
 cyanoptera, 65, 88, 138, 143
 discors, 65, 138, 142
 falcata, 16
 penelope, 65
 platyrhynchos, 65, 138, 142
 strepera, 65, 136, 138, 142
Anser albifrons, 64
Anthropoides virgo, 16
Anthus cervinus, 79
 hodgsoni, 79, 90
 rubescens, 58, 79, 90
 spragueii, 79
Aphelocoma californica, 112, 258
Aphriza virgata, 69
Apus affinis, 187, 192, 193, 207, 222–233
 apus, 187, 192, 193, 194, 195, 207, 213, 222
 horus, 213
 melba, 187, 192, 213
Aquila chrysaetos, 67
Aragón Cruz, Alfredo, see Santana C., E.
Archilochus alexandri, 73
 colubris, 73
Ardea alba, 64, 138, 142
 cinerea, 129
 herodias, 64, 88, 138, 142
Arenaria interpres, 68
 melanocephala, 69
Asio flammeus, 46, 72
 otus, 72, 89, 149, 151, 152
Athene cunicularia, 72
Auklet, Parakeet, 163
Avocet, American, 2–14, 68, 139, 145–146
Aythya affinis, 65, 138, 144
 americana, 136, 138, 143
 collaris, 65, 138, 143–144
 marila, 65, 133, 136, 138, 144
 valisineria, 65
Bartramia longicauda, 23, 68
Bennett, Jason, Evidence for Northern Waterthrushes breeding in southeast Wyoming, 108–110
Bittern, American, 64
Blackbird, Brewer's, 86
 Red-winged, 86
 Rusty, 86
 Tricolored, 86
 Yellow-headed, 86
Bluebird, Eastern, 111
 Mountain, 78, 111
 Western, 78, 111–113, 258
Bluetail, Red-flanked, 78
Bobolink, 85
Bobowski, Benny R., see Spence, J. R.
Bobwhite, Northern, 123
Bombocilla cedrorum, 79
 garrulus, 79

INDEX

- Booby, Blue-footed, 176
 - Brown, 19, 58, 61, 63, 123
 - Masked, 15, 19, 63
 - Nazca, 15, 16, 19, 36, 37, 39
 - Red-footed, 63, 123
- Botaurus lentiginosus*, 63
- Brachyrhamphus brevirostris*, 161
 - marmoratus*, 24, 71, 128, 157–163
 - perdix*, 24, 128, 157–168
- Brant, 64
- Branta bernicla*, 64
 - canadensis*, 64, 138, 142
 - ruficollis*, 123
- Bronzewing, Common, 123
- Browning, M. Ralph, The generic distinction of pied woodpeckers, 97–107
- Bubo virginianus*, 72, 149, 151, 152, 153, 154
- Bubulcus ibis*, 64, 138, 142
- Bucephala albeola*, 66, 138, 145
 - clangula*, 66, 88, 136, 138, 145
 - islandica*, 66, 88, 133, 136, 138, 145
- Bufflehead, 66, 138, 145
- Bull, Evelyn L., Declines in the breeding population of Vaux's Swifts in northeastern Oregon, 230–234
- Bunting, Indigo, 85
 - Lark, 84
 - Lazuli, 85, 127
 - Little, 61
 - Painted, 30, 37, 85
 - Snow, 30, 85, 93
 - Varied, 36
 - Yellow-breasted, 16
 - Yellow-throated, 127
- Burnett, Ryan, *see* Richardson, T. W.
- Buteo jamaicensis*, 66
 - lagopus*, 67
- Butorides virescens*, 64
- Calamospiza melanocorys*, 84
- Calcarius lapponicus*, 30, 85
 - ornatus*, 30, 45–48, 85
 - pictus*, 30
- Calidris acuminata*, 69
 - alba*, 69
 - alpina*, 69
 - bairdii*, 69
 - canutus*, 69
 - ferruginea*, 16, 23
 - mauri*, 69
 - melanotos*, 69
 - minutilla*, 69
 - ptilocnemis*, 69
 - pusilla*, 69
 - ruficollis*, 23, 60
- Callipepla californica*, 169–170
- Calypte anna*, 73, 118
 - costae*, 73
- Canvasback, 65
- Capitolo, Phil, *see* Richardson, T. W.
- Caracara cheriway, 16
- Caracara, Crested, 16
- Cardellina rubrifrons*, 82
- Cardinalis sinuatus*, 36–37
- Carduelis lawrencei*, 87, 257
 - pinus*, 87
 - psaltria*, 87
 - tristis*, 87
- Carpodacus cassinii*, 87
 - mexicanus*, 87
 - purpureus*, 87
- Carrillo Ortiz, José, *see* Santana C., E.
- Catbird, Gray, 28, 78, 126
- Cathartes aura*, 64, 207
- Catharus fuscescens*, 78, 90
 - guttatus*, 78
 - minimus*, 78, 90
 - ustulatus*, 78
- Catoptrophorus semipalmatus*, 68, 118–119, 139, 146
- Catreus wallichi*, 123
- Certhia americana*, 77
- Ceryle alcyon*, 73
- Chaetura pelagica*, 73, 187, 192, 193, 195, 207, 233
 - vauxi*, 73, 206, 222, 225–234
- Charadrius alexandrinus*, 67, 176
 - hiaticula*, 22, 60
 - leschenaultii*, 15, 21–22, 23, 39
 - mongolus*, 21
 - montanus*, 22
 - morinellus*, 22, 24, 68
 - semipalmatus*, 67
 - vociferus*, 67, 89, 138, 145
 - wilsonia*, 176
- Chat, Yellow-breasted, 82
- Chen caerulescens*, 64, 138, 142
 - canagica*, 20, 64, 88
 - rossii*, 64
- Chondestes grammacus*, 83
- Chordeiles acutipennis*, 72
 - minor*, 72
- Chukar, 123

INDEX

- Circus cyaneus*, 46, 66
Cistothorus palustris, 77
Clangula hyemalis, 66, 88, 133, 136, 138, 144
Coccothraustes vespertinus, 87
Coccyzus americanus, 72
 erythrophthalmus, 72
Colaptes auratus, 74
Colinus virginianus, 123
 Collared-Dove, Eurasian, 16
 Collins, Charles T., Featured photo: A leucistic Willet in California, 118–119; see also Ryan, T. P.; see also Rudalevige, A. D.
Columba fasciata, 72
 livia, 72, 123
Columbina inca, 171
 passerina, 171
 talpacoti, 25, 171–172
Contopus cooperi, 74
 pertinax, 25, 33, 93
 sordidulus, 42, 74
 virens, 74, 89
 Coot, American, 67, 133, 134, 135, 136, 137, 138, 139, 145
 Cormorant, Double-crested, 138, 140, 142
Corvus corax, 76, 207
 Cowbird, Brown-headed, 45–48, 86, 111–113
 Shiny, 45
 Crane, Baillon's, 129
 Crane, Demoiselle, 16
 Creeper, Brown, 77
 Crossbill, Red, 87, 93
Crossoptilon mantchuricum, 123
 Crozier, Michelle L., Mark E. Seamans, and R. J. Gutiérrez, Forest owls detected in the central Sierra Nevada, 149–156
 Cuckoo, Black-billed, 72
 Yellow-billed, 72
 Cummins, Eric B., see Thompson, C. W.
 Curlew, Long-billed, 68, 139, 146
Cygnus atratus, 94, 95
 buccinator, 20–21, 32
 columbianus, 65
 cygnus, 21
Cyananthus latirostris, 25
Cypseloides niger, 73, 206, 207, 209–215
 storeri, 173
 Davis, Jeff N., and David L. Suddjian, Book review: Monterey Birds, 114–117
Dendrocopos assimilis, 100
 atratus, 100
 canicapillus, 100
 darjellensis, 100
 himalayensis, 100
 hyperythrus, 100
 kizuki, 100
 leucotos, 100, 104
 macei, 100
 maculatus, 100
 mahrattensis, 100
 major, 100, 104, 105
 medius, 100
 minor, 99, 100, 104, 105
 nanus, 100
 syriacus, 100
 temminckii, 100
Dendroica caerulescens, 80, 126
 castanea, 81
 cerulea, 81
 chrysoparia, 81
 coronata, 58, 80
 discolor, 81
 dominica, 29, 81
 fusca, 81
 graciae, 29
 magnolia, 80
 nigrescens, 80
 occidentalis, 81
 palmarum, 81
 pennsylvanica, 80, 126
 petechia, 80
 pinus, 29, 81
 striata, 81
 tigrina, 80
 townsendi, 81
 virens, 81
Dendropicos fuscescens, 100
 goertae, 100
 namaquus, 100
 xantholophus, 100
 Dickcissel, 85
 Dickerman, Robert W., and Page Draper, Featured photo: A January Scarlet Tanager specimen from New Mexico, 53
 Dobbs, Robert C., Behavioral notes on some breeding birds in southern Utah, 42–44
Dolichonyx oryzivorus, 85

INDEX

- Dotterel, Eurasian, 22, 24, 68
- Dove, Mourning, 72
 - Common Ground, 171
 - Eurasian Collared, 16
 - Inca, 171
 - Ringed Turtle, 95
 - Rock, 72, 123
 - Ruddy Ground, 25, 171–172
 - White-winged, 72
- Dovekie, 163
- Dowitcher, Long-billed, 69
 - Short-billed, 69
- Draper, Page, see Dickerman, R. W.
- Dryocopus pileatus*, 231, 232
- Duck, Falcated, 16
 - Harlequin, 65
 - Long-tailed, 66, 88, 133, 136, 138, 144
 - Mandarin, 123
 - Ring-necked, 65, 138, 143–144
 - Ruddy, 66, 138, 145
 - Wood, 65, 136, 138, 142, 144
- Dumetella carolinensis*, 28, 78, 126
- Dunlin, 69
- Eagle, Bald, 66
 - Golden, 67
- Egret, Cattle, 64, 138, 142
 - Great, 64, 138, 142
 - Little, 124
 - Reddish, 15, 16, 19–20, 21
 - Snowy, 64, 138, 142
- Egretta caerulea*, 133, 136, 138, 142
 - garzetta*, 124, 142
 - rufescens*, 15, 16, 19–20, 21
 - thula*, 64, 138
 - tricolor*, 19
- Elanus leucurus*, 66
- Emberiza aureola*, 16
 - elegans*, 127
 - pusilla*, 61
- Empidonax alnorum*, 33, 74
 - difficilis/occidentalis*, 75
 - flaviiventris*, 25, 26, 74, 89
 - hammondii*, 74
 - minimus*, 74
 - oberholseri*, 42, 74
 - traillii*, 33, 74, 125
 - wrightii*, 74
- Eremophila alpestris*, 76
- Euphagus carolinus*, 86
 - cyancephalus*, 86
- Falco columbarius*, 67
 - mexicanus*, 67
 - peregrinus*, 58, 67, 89, 207
 - sparverius*, 67, 89
- Falcon, Peregrine, 58, 67, 89, 207
 - Prairie, 67
- Finch, Cassin's, 87
 - House, 87
 - Purple, 87
- Flamingo, American, 123
- Flicker, Northern, 74
- Flycatcher, Alder, 33, 74
 - Ash-throated, 75, 129
 - Brown-crested, 75
 - Dusky, 42, 74
 - Dusky-capped, 25, 33
 - Gray, 74
 - Great Crested, 25, 75, 89
 - Hammond's, 74
 - Least, 74
 - Olive-sided, 74
 - Scissor-tailed, 75
 - Spotted, 125–126
 - Western, 75
 - Willow, 33, 74, 125
 - Yellow-bellied, 25, 26, 74, 89
- Fratercula corniculata*, 71
- Fregata magnificens*, 63, 88
 - minor*, 63, 88
- Frigatebird, Great, 63, 88
 - Magnificent, 63, 88
- Fulica americana*, 67, 133, 134, 135, 136, 137, 138, 139, 145
- Fulmar, Northern, 61, 62
- Fulmarus glacialis*, 61, 62
- Gadwall, 65, 136, 138, 142
- Gaede, Peter, Featured photo: Diet and feeding activity at a Flammulated Owl nest in Idaho, 183–183
- Gallinago delicata*, 69, 127–128
 - gallinago*, 127–128
- Gallinula chloropus*, 67
- Garrett, Kimball L., Book review:
 - Wrens, Dippers and Thrashers, 49–50, and John C. Wilson, Report of the California Bird Records Committee: 2001 records, 15–41
- Gavia adamsii*, 32, 62, 133, 135, 136, 138, 141
 - arctica*, 38
 - immer*, 62, 135, 138, 141
 - pacifica*, 58, 62, 133, 135, 136, 138, 140, 141
 - stellata*, 62
- Geothlypis trichas*, 82, 92

INDEX

- Gibson, Daniel D., Steven C. Heinl, and Theodore G. Tobish, Jr., Report of the Alaska Checklist Committee, 1997–2002, 122–132
- Glaucidium gnoma*, 149, 151, 152, 153, 154
- Gnatcatcher, Blue-gray, 78
- Godwit, Bar-tailed, 68
- Marbled, 68, 139, 146
- Goldeneye, Barrow's, 66, 88, 133, 136, 138, 145
- Common, 66, 88, 136, 138, 145
- Golden-Plover, American, 67, 89
- European, 124
- Pacific, 67, 89
- Goldfinch, American, 87
- Lawrence's, 87, 257
- Lesser, 87
- González-Bernal, Marco Antonio, Xicoténcatl Vega, and Eric Mellink, Nesting of Western Gulls in Bahía de Santa María-La Reforma, Sinaloa, Mexico, 175–177
- Goose, Canada, 64, 138, 142
- Emperor, 20, 64, 88
- Greater White-fronted, 64
- Red-breasted, 123
- Ross', 64
- Snow, 64, 138, 142
- Grackle, Common, 32, 35, 61
- Great-tailed, 61
- Grantham, Jesse, see Airola, D. A.
- Grebe, Clark's, 62, 136, 138, 140, 141
- Eared, 61, 62, 123, 138, 141
- Horned, 62, 138, 141
- Pied-billed, 62, 138, 141
- Red-necked, 61, 62, 133, 136, 138, 141
- Western, 62, 133, 135, 136, 137, 138, 141
- Greenshank, Common, 15, 23
- Grosbeak, Black-headed, 85
- Blue, 85
- Evening, 87
- Rose-breasted, 85, 127
- Ground-Dove, Common, 171
- Ruddy, 25, 171–172
- Gull, Bonaparte's, 58, 70, 139, 146
- California, 70, 139, 146
- Franklin's, 70, 139, 146
- Glaucous, 71, 89
- Glaucous-winged, 58, 71, 89
- Heermann's, 58, 70, 118, 176
- Herring, 71, 89, 133, 136, 139, 146
- Laughing, 70, 175, 176
- Lesser Black-backed, 24
- Little, 24, 33, 124–125
- Mew, 33, 70, 139, 146
- Ring-billed, 70, 136, 139, 146
- Sabine's, 58, 71, 139
- Slaty-backed, 16
- Thayer's, 71, 89
- Western, 175–177
- Yellow-footed, 137, 175, 176
- Gutiérrez, R. J., see Crozier, M. L.
- Haematopus bachmani*, 22–23, 32
- palliatu*s, 22–23, 32, 176
- Haliaeetus leucocephalus*, 66
- Hanson, Janet T., see Rintoul, C.
- Harrier, Northern, 46, 66
- Hawk, Cooper's, 66, 207
- Harris's, 36
- Red-tailed, 66
- Rough-legged, 67
- Sharp-shinned, 66
- Heinl, Steven C., see Gibson, D. D.
- Helmitheros vermicurus*, 29, 81
- Heron, Black-crowned Night, 20, 64, 138, 142
- Gray, 129
- Great Blue, 64, 88, 138, 142
- Green, 64
- Little Blue, 133, 136, 138, 142
- Tricolored, 19
- Yellow-crowned Night, 20
- Heteroscelus brevipes*, 33, 60
- incanus*, 33, 68
- Himantopus mexicanus*, 2–14, 68
- Hirundo rustica*, 77, 194
- Histrionicus histrionicus*, 65
- Howell, Steve N. G., Book review: Sibley's Birding Basics, 51–52; Book review: Pipits and Wagtails, 254–255
- Hoyer, Richard C., Book review: Birds of Oregon: A General Reference, 178–181
- Hummingbird, Allen's, 73, 89
- Anna's, 73, 118
- Black-chinned, 73
- Broad-billed, 25
- Calliope, 73
- Costa's, 73
- Ruby-throated, 73
- Rufous, 73, 89

INDEX

- Hunter, John E., and M. J. Mazurek,
Characteristics of trees used by
nesting and roosting Vaux's Swifts
in northwestern California, 225–
229
- Ibis, Glossy, 15, 16, 20, 22, 32, 39
White-faced, 20, 64, 138, 142
- Icteria virens*, 82
- Icterus abeillei*, 15, 16, 37–38
bullockii, 37–38, 86
cucullatus, 86
galbula, 86
parisorum, 86, 93, 94
spurius, 86, 127
- Ictinia mississippiensis*, 21
- Iliff, Marshall J., Featured photo: A
vagrant Bell's Sparrow in Baja
California Sur, 256–259
- Ixoreus naevius*, 78
- Jaeger, Long-tailed, 70
Parasitic, 70, 139
Pomarine, 70
- Jay, Western Scrub, 112, 258
- Johnson, Richard E., see Thompson,
C. W.
- Junco, Dark-eyed, 58, 85, 93
Junco hyemalis, 58, 85, 93
- Kestrel, American, 67, 89
Killdeer, 67, 89, 138, 145
- Kingbird, Cassin's, 75
Eastern, 75
Thick-billed, 25, 27, 60
Tropical, 75, 89
Western, 75
- Kingfisher, Belted, 73
- Kinglet, Golden-crowned, 77
Ruby-crowned, 58, 77
- Kite, Mississippi, 21
White-tailed, 66
- Kittiwake, Black-legged, 33, 58, 71
Red-legged, 15, 16, 24, 33
- Knot, Red, 69
- Krakauer, Alan H., California Quail lays
egg in Wild Turkey nest, 169–170
- Lanius cristatus*, 75, 90
excubitor, 75
ludovicianus, 75
- Lark, Horned, 76
- Larus argentatus*, 71, 89, 133, 136,
139, 146
- atricilla*, 70, 175, 176
californicus, 70, 139, 146
canus, 33, 70, 139, 146
delawarensis, 70, 136, 139, 146
fuscus, 24
glaucescens, 58, 71, 89
heermanni, 58, 70, 118, 176
hyperboreus, 71, 89
livens, 137, 175, 176
minutus, 24, 33, 124–125
occidentalis, 175–177
philadelphia, 58, 70, 139, 146
pipixcan, 70, 139, 146
schistisagus, 16
thayeri, 71, 89
- Laterallus jamaicensis*, 60–61
- Limnodromus griseus*, 69
scolopaceus, 69
- Limosa fedoa*, 68, 139, 146
lapponica, 68
- Locustella lanceolata*, 77, 90
- Longspur, Chestnut-collared, 30, 45–
48, 85
Lapland, 30, 85
Smith's, 30
- Loon, Arctic, 38
Common, 62, 135, 138, 141
Pacific, 58, 62, 133, 135, 136,
138, 140, 141
Red-throated, 62
Yellow-billed, 32, 62, 133, 135,
136, 138, 141
- Lophodytes cucullatus*, 133, 136,
138, 145
- Lophura leucomelanos*, 123
- Loxia curvirostra*, 87, 93
- Lukas, David, Book review: Raptors of
Western North America; Raptors of
Eastern North America, 252–253
- Luscinia sibilans*, 129
- Mallard, 65, 138, 142
- Marín, Manuel, Molt, plumage, body
mass, and morphometrics of a popu-
lation of the White-throated Swift in
southern California, 216–224
- Martin, Purple, 76, 235–251
- Mazurek, M. J., see Hunter, J. E.
- McCaskie, Guy, Ruddy Ground-Dove
breeding in California, 171–172
- Meadowlark, Eastern, 60
Western, 86
- Melanerpes formicivorus*, 73
lewis, 73

INDEX

- Melanitta fusca*, 66
nigra, 66
perspicillata, 65, 88, 133, 136, 138, 144
Meleagris gallopavo, 169–170
Mellink, Eric, see González-Bernal, M. A.
Melospiza georgiana, 84
lincolnii, 84, 93
melodia, 84, 91, 93
Merganser, Common, 138, 145
Hooded, 133, 136, 138, 145
Red-breasted, 66, 88, 133, 136, 138, 145
Mergus merganser, 138, 145
serrator, 66, 88, 133, 136, 138, 145
Merlin, 67
Mimus polyglottos, 78
Mniotilta varia, 81
Mockingbird, Northern, 78
Molothrus ater, 45–48, 86, 111–113
bonariensis, 45
Moorhen, Common, 67
Motacilla alba, 79, 128
flava, 79
lugens, 128
Murre, Thick-billed, 71, 89
Murrelet, Ancient, 71, 89, 163
Craveri's, 71
Kittlitz's, 161
Long-billed, 24, 128, 157–168
Marbled, 24, 71, 128, 157–163
Xantus', 71
Muscicapa striata, 125–126
Myadestes townsendi, 78, 90, 258
Myiarchus cinerascens, 75, 129
crinitus, 25, 75, 89
tuberculifer, 25, 33
tyrannulus, 75
Myna, White-vented, 123

Nandayus nenday, 95
Nighthawk, Common, 72
Lesser, 72
Night-Heron, Black-crowned, 20, 64, 138, 142
Yellow-crowned, 20
Nucifraga columbiana, 76, 196
Numenius americanus, 68, 139, 146
phaeopus, 68
Nutcracker, Clark's, 76, 196
Nuthatch, Pygmy, 77
Red-breasted, 77
White-breasted, 77, 258
Nyctanassa violacea, 20

Nycticorax nycticorax, 20, 64, 138, 142

Oceanodroma furcata, 63
melania, 63
Oenanthe oenanthe, 27, 28, 78
Oporornis agilis, 29, 31, 36, 82
formosus, 82
philadelphia, 29, 31, 36, 82
tolmiei, 29, 82
Oreortyx pictus, 169
Oreoscoptes montanus, 79
Oriole, Baltimore, 86
Black-backed, 15, 16, 37–38
Bullock's, 37–38, 86
Hooded, 86
Orchard, 86, 127
Scott's, 86, 93, 94
Osprey, 66, 176
Otus flammeolus, 149, 151, 152, 153, 154, 182–183
kennicottii, 149, 152
Ovenbird, 82
Owl, Barn, 72
Barred, 149, 152, 153
Burrowing, 72
Flammulated, 149, 151, 152, 153, 154, 183–183
Great Gray, 149, 152
Great Horned, 72, 149, 151, 152, 153, 154
Long-eared, 72, 89, 149, 151, 152
Northern Pygmy, 149, 151, 152, 153, 154
Northern Saw-whet, 72, 149, 151, 152, 153
Short-eared, 46, 72
Spotted, 149, 150, 151, 152, 153
Western Screech, 149, 152
Oxyura jamaicensis, 66, 138, 145
Oystercatcher, American, 22–23, 32, 176
Black, 22–23, 32

Page, Gary W., see Rintoul, C.
Pandion haliaetus, 66, 176
Parabuteo unicinctus, 36
Parakeet, Black-hooded, 95
Parula americana, 80
Parula, Northern, 80
Passer domesticus, 87, 93, 235, 243, 245, 250
Passerculus sandwichensis, 58, 84, 92–93

INDEX

- Passerella iliaca*, 84, 258
Passerina amoena, 85, 127
 caerulea, 85
 ciris, 32, 37, 85
 cyanea, 85
 versicolor, 36
Pelecanus erythrorhynchos, 133,
 136, 138, 141
 occidentalis, 58, 60, 63, 88, 123
 Pelican, American White, 133, 136,
 138, 141
 Brown, 58, 60, 63, 88, 123
 Penguin, Humboldt, 123
 Petrel, Black-capped, 16
 Black Storm, 63
 Cook's, 93
 Dark-rumped, 15, 16, 18, 93
 Fork-tailed Storm, 63
 Galapagos, 15, 16, 18
 Hawaiian, 15, 16, 18
 Murphy's, 63
Petrochelidon pyrrhonota, 77
Peucedramus taeniatus, 60
 Pewee, Greater, 25, 33, 93
 Eastern Wood, 74, 89
 Western Wood, 42, 74
Phaethon rubricauda, 32, 63
Phalacrocorax auritus, 138, 140, 142
Phalaenoptilus nuttallii, 72
 Phalarope, Red, 58, 70
 Red-necked, 58, 70, 139
 Wilson's, 70, 139
Phalaropus fulicarius, 58
 lobatus, 58, 139
 tricolor, 70, 139
Phaps chalcoptera, 123
Philomachus pugnax, 69
 Phainopepla, 79
Phainopepla nitens, 79
Phasianus colchicus, 123, 169
 Pheasant, Brown Eared, 123
 Cheer, 123
 Kalij, 123
 Reeves', 123
 Ring-necked, 123, 169
Phœucticus ludovicianus, 85, 127
 melanocephalus, 85
Phœbastria albatrus, 60
 immutabilis, 62
 nigripes, 61, 62
 Phoebe, Black, 75, 125
 Eastern, 75
 Say's, 75, 89
Phœnicopterus ruber, 123
Phylloscopus fuscatus, 78
 inornatus, 125
 trochilus, 125
Picoides albolarvatus, 97, 100, 101,
 103, 105
 arcticus, 97, 99, 100, 101, 102
 arizonæ, 97, 100, 105
 borealis, 97, 100, 103, 105
 lignarius, 97, 100, 104, 105
 mixtus, 97, 98, 103, 104, 105
 nuttallii, 97, 100, 104, 105
 pubescens, 97, 100, 101, 102,
 103, 104, 105
 scalaris, 97, 100, 103, 104, 105
 stricklandi, 97, 100, 103, 105
 tridactylus, 97, 99, 100, 101, 102
 villosus, 97, 100, 102, 103, 105
 Pigeon, Band-tailed, 72
 Rock, 72, 123
 Pintail, Northern, 65, 138, 143
Pipilo chlorurus, 83
 maculatus, 83, 92, 169, 258
 Pipit, American, 58, 79, 90
 Olive-backed, 79, 90
 Red-throated, 79
 Sprague's, 79
Piranga flava, 82
 ludoviciana, 83
 olivacea, 15, 16, 29-30, 34, 36,
 53, 83
 rubra, 36, 53, 82
Plectrophenax nivalis, 30, 85, 93
Plegadis chihi, 20, 64, 138, 142
 falcinellus, 15, 16, 20, 22, 32, 39
 Plover, American Golden, 67, 89
 European, 124
 Black-bellied, 67
 Common Ringed, 22, 60
 Greater Sand, 15, 21-22, 23, 39
 Mongolian, 21
 Mountain, 22
 Pacific Golden, 67, 89
 Semipalmated, 67
 Snowy, 67, 176
 Wilson's, 176
Pluvialis apricaria, 124
 dominica, 67, 89
 fulva, 67, 89
 squatarola, 67
Podiceps auritus, 62, 138, 141
 griseogena, 61, 62, 133, 136, 138,
 141
 nigricollis, 61, 62, 123, 138, 141
Podilymbus podiceps, 62, 138, 141

INDEX

- Polioptila caerulea*, 78
Poecetes gramineus, 83
 Poorwill, Common, 72
Porzana carolina, 67
 pusilla, 129
Progne subis, 76, 235–251
Protonotaria citrea, 81, 111
Pterodroma cookii, 93
 hasitata, 16
 phaeopygia, 15, 16, 18, 93
 sandwichensis, 15, 16, 18
 ultima, 63
 Puffin, Horned, 71
Puffinus assimilis, 129
 bulleri, 58, 63, 123–124
 carneipes, 63
 creatopus, 63, 123, 124
 gravis, 15, 16, 18, 123
 griseus, 32, 58, 61, 63
 opisthomelas, 58, 63
 puffinus, 18–19, 32, 61, 63
 tenuirostris, 63
 Pullen, Kevin J., see Thompson, C. W.
 Pygmy-Owl, Northern, 149, 151, 152, 153, 154
 Pyle, Peter, see Richardson, T. W.
 Pyrrhuloxia, 36–37
- Quail, California, 169–170
 Mountain, 169
Quiscalus mexicanus, 61
 quiscula, 32, 35, 61
- Rail, Black, 60–61
 Clapper, 61
 Virginia, 67
Rallus limicola, 67
 longirostris, 61
 Raven, Common, 76, 207
Recurvirostra americana, 2–14, 68, 139, 145–146
 Redhead, 136, 138, 143
 Redstart, American, 81
Regulus calendula, 58, 77
 satrapa, 77
 Richardson, T. Will, Peter Pyle, Ryan Burnett, and Phil Capitolo, The occurrence and seasonal distribution of migratory birds on Southeast Farallon Island, 1968–1999, 58–96
 Rintoul, Chris, Nils Warnock, Gary W. Page, and Janet T. Hanson, Breeding status and habitat use of Black-necked Stilts and American Avocets in South San Francisco Bay, 2–14
Riparia riparia, 77
Rissa brevirostris, 15, 16, 24, 33
 tridactyla, 33, 58, 71
 Robin, American, 42–43, 78, 90
 Rufous-backed, 28
 Rufous-tailed, 129
 Rudalevige, Allison D., Dessie L. A. Underwood, and Charles T. Collins, Diet of breeding White-throated and Black Swifts in southern California, 209–215
 Ruff, 69
 Ryan, Thomas P., and Charles T. Collins, Activity patterns of White-throated Swifts in California, 186–198; Seasonal population fluctuation of White-throated Swifts at roost sites in southern California, 199–203; Social behavior of White-throated Swifts, 204–208
Rynchops niger, 176
- Salpinctes obsoletus*, 77, 90
 Sanderling, 69
 Sandpiper, Baird's, 69
 Buff-breasted, 69
 Curlew, 16, 23
 Least, 69
 Pectoral, 69
 Rock, 69
 Semipalmated, 69
 Sharp-tailed, 69
 Solitary, 68
 Spotted, 68
 Upland, 23, 68
 Western, 69
 Wood, 15, 32–33, 93
 Sand-Plover, Greater, 15, 21–22, 23, 39
 Santana C., Eduardo, Carrillo Ortiz, José, and Aragón Cruz, Alfredo, Extension of the northernmost breeding range of the White-collared Swift in western Mexico, 173–174
 Sapsucker, Red-breasted, 74
 Red-naped, 73
 Yellow-bellied, 73
Sayornis nigricans, 75, 125
 phoebe, 75
 saya, 75, 89

INDEX

- Scaup, Greater, 65, 133, 136, 138, 144
 Lesser, 65, 138, 144
 Scoter, Black, 66
 Surf, 65, 88, 133, 136, 138, 144
 White-winged, 66
 Screech-Owl, Western, 149, 152
 Scrub-Jay, Western, 112, 258
 Seamans, Mark E., *see* Crozier, M. L.
Seiurus aurocapillus, 82
 motacilla, 82
 noveboracensis, 82, 108–110
Selasphorus rufus, 73, 89
 sasin, 73, 89
Setophaga ruticilla, 81
 Shearwater, Black-vented, 58, 63
 Buller's 58, 63, 123–124
 Flesh-footed, 63
 Greater, 15, 16, 18, 123
 Little, 129
 Manx, 18–19, 32, 61, 63
 Pink-footed, 63, 123, 124
 Short-tailed, 63
 Sooty, 32, 58, 61, 63
 Shoveler, Northern, 65, 138, 143
 Shrike, Brown, 75, 90
 Loggerhead, 75
 Northern, 75
Sialia currucoides, 78, 111
 mexicana, 78, 111–113, 258
 sialis, 111
 Siskin, Pine, 87
Sitta canadensis, 77
 carolinensis, 77, 258
 pygmaea, 77
 Skimmer, Black, 176
 Skua, South Polar, 70
 Snipe, Wilson's, 69
 Solitaire, Townsend's, 78, 90, 258
 Sora, 67
 Sparrow, American Tree, 83
 Baird's, 84
 Black-chinned, 83
 Black-throated, 83
 Brewer's, 43, 83, 92
 Cassin's, 16, 30, 34, 83
 Chipping, 43, 83, 92
 Clay-colored, 83, 92
 Field, 83
 Fox, 84, 258
 Golden-crowned, 58, 85, 258
 Grasshopper, 84
 Harris', 84
 House, 87, 93, 235, 243, 245, 250
 Lark, 83
 Le Conte's, 84, 93
 Lincoln's, 84, 93
 Nelson's Sharp-tailed, 84
 Rufous-crowned, 83
 Sage, 84, 256–259
 Savannah, 58, 84, 92–93
 Song, 84, 91, 93
 Swamp, 84
 Vesper, 83
 White-crowned, 58, 84, 85, 93, 169
 White-throated, 84
 Spence, John R., and Benny R.
 Bobowski, 1994–1997 Water bird surveys of Lake Powell, a large oligotrophic reservoir on the Colorado River, Utah and Arizona, 133–148
Spheniscus humboldti, 123
Sphyrapicus nuchalis, 73, 100
 ruber, 74, 100
 thyroideus, 100
 varius, 73, 100
Spiza americana, 85
Spizella arborea, 83
 atrogularis, 83
 breweri, 43, 83, 92
 pallida, 83, 92
 passerina, 43, 83, 92
 pusilla, 83
 Starling, European, 58, 79, 90, 235, 241, 243, 245, 246, 247, 248, 249, 250
Stelgidopteryx serripennis, 77, 90, 245
Stellula calliope, 73
Stercorarius longicaudus, 70
 maccormicki, 70
 parasiticus, 70, 139
 pomarinus, 70
Sterna caspia, 71
 elegans, 58, 71
 forsteri, 71, 129, 139, 146
 fuscata, 24, 25, 125
 hirundo, 71
 maxima, 176
 nilotica, 176
 paradisaea, 58, 71
 Stilt, Black-necked, 2–14, 68
 Stint, Red-necked, 23, 60
 Storm-Petrel, Black, 63
 Fork-tailed, 63
Streptopelia decaocto, 16
 risoria, 95
Streptoprocne zonaris, 173–174

INDEX

- Strix nebulosa*, 149, 152
 occidentalis, 149, 150, 151, 152, 153
 varia, 149, 152, 153
Sturnella magna, 60
 neglecta, 86
Sturnus vulgaris, 58, 79, 90, 235, 241, 243, 245, 246, 247, 248, 249, 250
 Suddjian, David L., see Davis, J. N.
Sula dactylatra, 15, 19, 63
 granti, 15, 16, 19, 36, 37, 39
 leucogaster, 19, 58, 61, 63, 123
 nebouxii, 176
 sula, 63, 123
 Surfbird, 69
 Swallow, Bank, 77
 Barn, 77, 194
 Cliff, 77
 Northern Rough-winged, 77, 90, 245
 Tree, 76, 90
 Violet-green, 77, 90
 Swan, Black, 94, 95
 Trumpeter, 20–21, 32
 Tundra, 65
 Whooper, 21
 Swift, Alpine, 187, 192, 213
 Black, 73, 206, 207, 209–215
 Chimney, 73, 187, 192, 193, 195, 207, 233
 Common, 187, 192, 193, 195, 207, 233
 Horus, 213
 Little, 187, 192, 193, 207, 222–233
 Vaux's, 73, 206, 222, 225–234
 White-collared, 173–174
 White-fronted, 173
 White-throated, 73, 186–224, 245
 White-tipped, 207
Sylvia curruca, 125
Synthliboramphus antiquus, 71, 89, 163
 craveri, 71
 hypoleucus, 71
Syrnaticus reevesii, 123

Tachycineta bicolor, 76, 90
 thalassina, 77, 90
 Tanager, Hepatic, 82
 Scarlet, 15, 16, 29–30, 34, 36, 53, 83
 Summer, 36, 53, 82
 Western, 83

Tarsiger cyanurus, 78
 Tattler, Gray-tailed, 33, 60
 Wandering, 33, 68
 Teal, Blue-winged, 65, 138, 142
 Cinnamon, 65, 88, 138, 143
 Green-winged, 65, 136, 138, 143
 Tern, Arctic, 58, 71
 Caspian, 71
 Common, 71
 Elegant, 58, 71
 Forster's, 71, 129, 139, 146
 Gull-billed, 176
 Royal, 176
 Sooty, 24, 25, 125
Thalassarche cauta, 18, 19, 38
 Thompson, Christopher W., Kevin J. Pullen, Richard E. Johnson, and Eric B. Cummins, Specimen record of a Long-billed Murrelet from eastern Washington, with notes on plumage and morphometric differences between Long-billed and Marbled Murrelets, 157–168
 Thrasher, Bendire's, 35, 79
 Brown, 79
 Curve-billed, 35
 Le Conte's, 35
 Sage, 79
 Thrush, Eyebrowed, 15, 28
 Gray-cheeked, 78, 90
 Hermit, 78
 Swainson's, 78
 Varied, 78
Thryomanes bewickii, 77
 Tobish, Theodore G., Jr., see Gibson, D. D.
 Towhee, Green-tailed, 83
 Spotted, 82, 92, 169, 258
Toxostoma bendirei, 35, 79
 curvirostre, 35
 lecontei, 35
 rufum, 79
Tringa flavipes, 33, 68, 139, 146
 glareola, 15, 32–33, 93
 melanoleuca, 68, 139, 146
 nebularia, 15, 23
 solitaria, 68
Troglodytes aedon, 77
 troglodytes, 77
 Tropicbird, Red-tailed, 32, 63
 Truan, Melanie Allen, The Western Bluebird as host for the Brown-headed Cowbird: A new record from California, 111–113
Tryngites subruficollis, 69

INDEX

- Turdus migratorius*, 42–43, 78, 90
 obscurus, 15, 28
 *rufopalliatu*s, 28
 Turkey, Wild, 169–170
 Turnstone, Black, 69
 Ruddy, 68
 Turtle-Dove, Ringed, 95
Tyrannus crassirostris, 25, 27, 60
 forficatus, 75
 melancholicus, 75, 89
 tyrannus, 75
 verticalis, 75
 vociferans, 75
Tyto alba, 72

 Underwood, Dessie L. A., see
 Rudalevige, A. D.
Uria lomvia, 67, 89

 Veery, 78, 90
 Vega, Xicoténcatl, see González-Bernal,
 M. A.
Vermivora celata, 80, 90, 92
 chrysoptera, 28–29, 30, 35, 79
 luciae, 80
 peregrina, 79
 pinus, 28–29, 30, 35, 79
 ruficapilla, 80
 virginiae, 80
Vireo, Bell's, 75, 90, 91
 Blue-headed, 26, 28, 33, 35, 76, 90
 Cassin's, 33, 35, 76, 128
 Hutton's, 76, 90
 Philadelphia, 76
 Plumbeous, 76
 Red-eyed, 76
 Warbling, 76
 White-eyed, 27, 38, 75
 Yellow-green, 28, 76
 Yellow-throated, 16, 27–28, 76
Vireo bellii, 75, 90, 91
 cassinii, 76, 128
 flavifrons, 16, 27–28, 76
 flavoviridis, 28, 76
 griseus, 27, 38, 75
 huttoni, 76, 90
 gilvus, 76
 olivaceus, 76
 philadelphicus, 76
 plumbeus, 76
 solitarius, 26, 28, 76, 90
 Vulture, Turkey, 64, 207

 Wagtail, Black-backed, 128

 White, 79, 128
 Yellow, 79
 Warnock, Nils, see Rintoul, C.
 Warbler, Bay-breasted, 81, 92
 Black-and-white, 81
 Blackburnian, 81
 Blackpoll, 81, 92
 Black-throated Blue, 80, 126
 Black-throated Gray, 80
 Black-throated Green, 81
 Blue-winged, 28–29, 30, 35, 79
 Brewster's, 79
 Canada, 82
 Cape May, 80
 Cerulean, 81
 Chestnut-sided, 80, 126
 Connecticut, 29, 31, 36, 82, 92
 Dusky, 78
 Golden-cheeked, 81
 Golden-winged, 28–29, 30, 35, 79
 Grace's, 29
 Hermit, 81, 92
 Hooded, 82
 Kentucky, 82, 92
 Lanceolated, 77, 90
 Lucy's, 80
 MacGillivray's, 29, 82
 Magnolia, 80
 Mourning, 29, 31, 36, 82, 92
 Nashville, 80
 Olive, 60
 Orange-crowned, 80, 90, 92
 Palm, 81, 92
 Pine, 29, 81, 92
 Prairie, 81
 Prothonotary, 81, 111
 Red-faced, 82
 Tennessee, 79
 Townsend's, 81
 Virginia's, 80
 Willow, 125
 Wilson's, 58, 82
 Worm-eating, 29, 81, 92
 Yellow, 80
 Yellow-browed, 125
 Yellow-rumped, 58, 80, 92
 Yellow-throated, 29, 81, 92
 Waterthrush, Louisiana, 82
 Northern, 82, 108–110
 Waxwing, Bohemian, 79
 Cedar, 79
 Weaver, Cutthroat, 95
 Wheatear, Northern, 27, 28, 78
 Whimbrel, 68

INDEX

- Whitethroat, Lesser, 125
- Wigeon, American, 65, 138, 142
 - Eurasian, 65
- Willet, 68, 118–119, 139, 146
- Wilsonia canadensis*, 82
 - citrina*, 82
 - pusilla*, 58, 82
- Woodpecker, Acorn, 73
 - Arizona, 97, 100, 105
 - Bearded, 100
 - Black-backed, 97, 99, 100, 101, 102
 - Brown-capped, 100
 - Cardinal, 100
 - Checkered, 97, 98, 103, 104, 105
 - Darjeeling, 100
 - Downy, 97, 100, 101, 102, 103, 104, 105
 - Fulvous-breasted, 100
 - Golden-crowned, 100
 - Gray, 100
 - Gray-capped, 100
 - Great Spotted, 100, 104, 105
 - Hairy, 97, 100, 102, 103, 105
 - Himalayan, 100
 - Ladder-backed, 97, 100, 103, 104, 105
 - Lesser Spotted, 99, 100, 104, 105
 - Lewis', 73
 - Middle Spotted, 100
 - Nuttall's, 97, 100, 104, 105
 - Philippine, 100
 - Pileated, 231, 232
 - Pygmy, 100
 - Red-cockaded, 97, 100, 103, 105
 - Rufous-bellied, 100
 - Sind, 100
 - Strickland's, 97, 100, 103, 105
 - Stripe-breasted, 100
 - Striped, 97, 100, 104, 105
 - Sulawesi, 100
 - Syrian, 100
 - Three-toed, 97, 99, 100, 101, 102
 - White-backed, 100, 104
 - White-headed, 97, 100, 101, 103, 105
 - Yellow-crowned, 100
- Wood-Pewee, Eastern, 74, 89
 - Western, 42, 74
- Wren, Bewick's, 77
 - House, 77
 - Marsh, 77
 - Rock, 77, 90
 - Winter, 77
- Xanthocephalus xanthocephalus*, 86
- Xema sabini*, 58, 71, 139
- Yellowlegs, Greater, 68, 139, 146
 - Lesser, 33, 68, 139, 146
- Yellowthroat, Common, 82, 92
- Zenaida asiatica*, 72
 - macroura*, 72
- Zonotrichia albicollis*, 84
 - atricapilla*, 58, 85, 258
 - leucophrys*, 58, 84, 85, 93, 169
 - querula*, 84

THANKS TO *WESTERN BIRDS*' REVIEWERS AND ASSOCIATE EDITORS

Peer review is a critical step in the publication of a scientific journal. I thank the following people for their generosity in taking the time to provide this essential service sustaining the scientific quality of *Western Birds* for volumes 32 through 34:

Jonathan L. Atwood	Donald E. Mitchell
Edward C. Beedy	Gale Monson
Charles R. Brown	Joseph Morlan
M. Ralph Browning	Lewis W. Oring
Evelyn L. Bull	Catherine P. Ortega
William A. Calder	Larry Neel
Charles T. Collins	Eduardo Palacios
Mark A. Colwell	Dennis R. Paulson
Daniel S. Cooper	Brandon K. Percival
John Cooper	Bruce G. Peterjohn
Alexander Cruz	Peter Pyle
Christian P. Dau	Martin G. Raphael
Bruce Deuel	Amadeo M. Rea
Robert W. Dickerman	Martin Reid
Terry J. Doyle	Danny I. Rogers
Stephen W. Eaton	Gary H. Rosenberg
Richard A. Erickson	Kenneth V. Rosenberg
Jules G. Evens	Stephen I. Rothstein
Sam Fitton	Stephen C. Rottenborn
David Fix	Stephen M. Russell
Joseph L. Ganey	Ron Schlorff
Kimball L. Garrett	Jeff P. Smith
Anthony J. Gaston	Mark K. Sogge
Luke George	David Solis
Lorrain Giddings	Brian L. Sullivan
Robert E. Gill	Steve Summers
Héctor Gómez de Silva	Theodore G. Tobish, Jr.
Joseph A. Grzybowski	Brian G. Walker
Steven C. Heinl	Brian J. Walton
Charles J. Henny	Nils Warnock
Steve N. G. Howell	Stuart L. Warter
Gary L. Ivey	Kenneth L. Weaver
Matthew Johnson	Bruce Webb
Bradford S. Keitt	David Whitacre
Owen Knorr	Clayton M. White
Greg W. Lasley	Sartor O. Williams, III
Michael L. Legare	Jon Winter
Paul E. Lehman	Janet Witzeman
Manuel Marín	

I also thank our associate editors, Daniel D. Gibson, Robert A. Hamilton, Ron LeValley, Tim Manolis, Kathy Molina, and Michael A. Patten, who serve as reviewers themselves. Producing *Western Birds* is truly a team effort; it could not be done without them. I thank also graphics manager Virginia P. Johnson, photo editor Peter LaTourrette, Featured Photo editor Robert A. Hamilton, book review editor Steve N. G. Howell, typographer Tim Brittain, and printer Barry Blackwood for all working with me as a magnificent team.

Philip Unitt

**Western Field Ornithologists
announces its 29th Annual Meeting,
in conjunction with the annual meetings of the
Western Bird Banding Association (WBBA) and
Oregon Field Ornithologists (OFO),
Hosted by the Klamath Bird Observatory**



September 8-12, 2004

The Windmill Inn and Windsor Inn, Ashland, Oregon

The Setting

Oregon's Jackson and Klamath counties offer wonderful opportunities for birders to discover montane and Great Basin species as well as migrants in rural, urban, mountain, and wetland settings. This region is rich in a variety of wildlife, and September will find WFO visiting during the height of southward migration of shorebird and passerines. Field trips to the Cascade Range, the Great Basin Desert, and the creeks, marshes, meadows, and agricultural fields of the Klamath Basin will highlight the rich diversity of landscapes, habitats, and avifauna that southern Oregon has to offer. With sufficient interest, extended post-meeting trips will visit the Klamath Basin refuges, sites in the high desert of the Great Basin, and the Oregon coast.

Conference Activities

The joint annual meeting will offer full-day field trips to the Klamath refuges on September 9 and 12 and local half-day field trips on September 9, 10, and 11. Other planned activities include workshops on digiscoping, sound analysis, and sketching and photography, as well as evening field trips and banding demonstrations. Afternoon science sessions will take place on September 10 and 11, along with a poster session and evening programs with noted speakers. And, of course, we will feature our ever-popular expert slide-identification and sound-identification panels. WBBA will be offering its annual feather workshop during this meeting as well. Social activities will include a welcome reception and a joint annual dinner. As always, WFO welcomes all levels of birders, from beginner to seasoned veteran. Many noted western birders, ornithologists, and professional field-trip leaders are contributing their time and talents to ensure that meeting participants enjoy both great science and great birding.

Call for Papers and Posters

Western Field Ornithologists welcomes scientific papers and posters related to field ornithology from all interested ornithologists, professional and

amateur. Submit abstracts for talks and/or posters to Ted Floyd at tedfloyd@aba.org. Guidelines for talks and posters can be found in the Call for Papers on the Western Field Ornithologists website, www.wfo-cbrc.org.

Registration and General Information

Headquarters for all conference activities will be The Best Western Windsor Inn and Ashland Hills Windmill Inn, both of Ashland, Oregon. These hotels are well located with easy freeway access. Consider bringing the entire family to Ashland for this meeting. For the enjoyment of all, the famous Ashland Shakespeare Festival is a major event that continues into late autumn. There are galleries, museums, and excellent restaurants throughout town, and both hotels have shuttle service to downtown. Conference information, conference schedule, complete hotel reservation information, meeting registration forms, and WFO membership information will be posted at after March 1, 2004. For questions about volunteering to help at the meeting, scholarship sponsorship, or any additional information, contact WFO's one of representatives for the 29th annual meeting, Rob Hewitt of LBJ Enterprises at www.humboldt1.com/~lbjent, 707-442-0339, Catherine Waters at cpannellwaters@yahoo.com, 562-869-6718, or Robbie Fischer at robbie22@pacbell.net.

ANNUAL MEETING

September 8-12, 2004

Ashland, Oregon

www.wfo-cbrc.org/confer.html

WESTERN BIRDS

World Wide Web site:
www.wfo-cbrc.org

Quarterly Journal of Western Field Ornithologists

President: David Yee, 11707 N. Alpine Road, Lodi, CA 95240; davidyee@lycnet.com

Vice-President: David Krueper, U.S. Fish & Wildlife Service, P. O. Box 1306, Albuquerque, NM 87103

Treasurer/Membership Secretary: Robbie Fischer, 1359 Solano Drive, Pacifica, CA 94044; robbie22@pacbell.net

Recording Secretary: Kei Sochi, The Nature Conservancy, Western Regional Office, 2060 Broadway, Suite 230, Boulder, CO 80302; ksochi@tnc.org

Directors: Ted Floyd, Kimball L. Garrett, Daniel D. Gibson, Robert E. Gill, Gjon Hazard, David Krueper, Mike San Miguel, Thomas P. Ryan, W. David Shuford, Catherine Waters, Jay Withgott, David Yee

Editor: Philip Unitt, San Diego Natural History Museum, P. O. Box 121390, San Diego, CA 92112-1390; birds@sdnhm.org

Associate Editors: Daniel D. Gibson, Robert A. Hamilton, Ronald R. LeValley, Tim Manolis, Kathy Molina, Michael A. Patten

Graphics Manager: Virginia P. Johnson, 4637 Del Mar Ave., San Diego, CA 92107

Photo Editor: Peter LaTourrette, 1019 Loma Prieta Ct., Los Altos, CA 92024

Featured Photo: Robert A. Hamilton, 34 Rivo Alto Canal, Long Beach, CA 90803

Book Reviews: Steve N. G. Howell, Point Reyes Bird Observatory, 4990 Shoreline Highway, Stinson Beach, CA 94970

Secretary, California Bird Records Committee: Guy McCaskie, P. O. Box 275, Imperial Beach, CA 91933-0275; guymcc@pacbell.net

Chairman, California Bird Records Committee: Richard A. Erickson, LSA Associates, 1 Park Plaza, Suite 500, Irvine, CA 92614; richard.erickson@lsa-assoc.com

Membership dues, for individuals and institutions, including subscription to *Western Birds*: Patron, \$1000.00; Life, \$400 (payable in four equal annual installments); Supporting, \$60 annually; Contributing, \$34 annually; Family \$30; Regular U.S. \$25 for one year, \$46 for two years, \$70 for three years. Dues and contributions are tax-deductible to the extent allowed by law.

Send membership dues, changes of address, correspondence regarding missing issues, and orders for back issues and special publications to the Treasurer. Make checks payable to Western Field Ornithologists.

Back issues of *Western Birds* within U.S. \$28 per volume, \$7.50 for single issues, plus \$1 per issue for postage. Outside the U.S. \$34 per volume, \$9 for single issues plus \$2 per issue shipping.

The California Bird Records Committee of Western Field Ornithologists revised its 10-column Field List of California Birds in February 2002. The last list covered 613 accepted species; the new list covers 619 species. Please send orders to WFO, c/o Robbie Fischer, Treasurer, 1359 Solano Drive, Pacifica, CA 94044. California addresses please add 8.25% sales tax.

Quantity: 1-9, \$1.50 each, includes shipping and handling; 10-39, \$1.30 each, add \$2.00 for shipping and handling; 40 or more, \$1.15 each, add \$4.00 for shipping and handling.