WESTERN BIRDS, INDEX, VOLUME 57, 2026

Compiled by Daniel D. Gibson and Angela Tidmore

Acanthis flammea, 145
Accentor, Siberian, 143
Acridotheres tristis, 31–40
Acrocephalus dumetorum, 134
Actitis hypoleucos, 138
Aethia cristatella, 139
Agelaius phoeniceus, 217–232
Aguillón, Stepfanie M., and Siegmund, Gregor-Fausto, Phenology of the First Reported Case of Same-Season Nest Reuse in Anna's Hummingbird, 208–216
Aimophila ruficeps, 217–232
Alauda arvensis, 141
Albatross, Short-tailed, 174
Alcids, 139
Alexander, John D., *see* Martins, P.
Alle alle, 139
Anarhynchus mongolus, 172
  wilsonia, 172
Anas acuta, 137
  crecca, 137
  diazi, 168–169
  laysanensis, 31–40
  platyrhynchos, 137
  querquedula, 168
  wyvilliana, 31–40
anatum, Falco peregrinus, 2–18
Anhinga, 177
Anhinga anhinga, 177
Anholt, Allison, Buchanan, Joseph B., Cox, Cameron D., Loverti, Vanessa, Hutcheson, Liam, Loghry, Jason P., and Swift, Roberta, The First Two Records of the Great Knot (*Calidris tenuirostris*) for Washington, 311–316
Ani, Groove-billed, 170
Anser albifrons, 137
  caerulescens, 137
  canagicus, 168
  fabalis, 168
  fabalis/serrirostris, 168
  serrirostris, 137
Anthus gustavi, 144
  hodgsoni, 144
  japonicus, 144, 184–187
  richardi, 146–147
  trivialis, 144
Aphelocoma californica, 217–232
Apus apus, 126
  pacificus, 133
Archilochus colubris, 170
Ardea ibis, 31–40
Ardenna pacifica, 175–176
  tenuirostris, 141
Ardeola bacchus, 126
Arenaria interpres, 31–40
  melanocephala, 125
Asio flammeus, 31–40
Auklet, Crested, 139

Baeolophus inornatus, 217–232
Bartramia longicauda, 172
Basilinna xantusii, 170–171
Bean-Goose, Taiga, 168
  Taiga/Tundra, 168
  Tundra, 137, 168
Benson, Thomas A., Birch, Andrew R., and Brady, Matthew L., The 50th Annual Report of the California Bird Records Committee: 2024 Records, 166–195
Benter, R. Bradley, *see* Pohlen, Z. M.
bewickii, Cygnus columbianus, 133
Birch, Andrew R., *see* Benson, T. A.
Blackbird, Red-winged, 217–232
  Rusty, 146
  Yellow-headed, 131–132
Black Hawk, Common, 178
Bluebird, Mountain, 128
  Western, 217–232
Bluetail, Red-flanked, 143
Bombycilla garrulus, 133
Brachyramphus marmoratus, 139
Brady, Matthew L., *see* Benson, T. A.
Brambling, 144
Branta sandvicensis, 31–40
Bubo scandiacus, 178
Bucephala albeola, 138
  clangula, 138
Buchanan, Joseph B., *see* Anholt, A.
Bufflehead, 138
Bullfinch, Eurasian,144
Bulweria fallax, 174
Bunting, Lazuli, 217–232
  Little, 145
  McKay's, 145
  Pallas's, 145
  Pine, 135

Rustic, 145
Yellow-browed, 136
Bushtit, 217–232
Buteo plagiatus, 178
solitarius, 31–40
swainsoni, 239–246
Buteogallus anthracinus, 178

Calcarius pictus, 187
Calidris acuminata, 138
canutus, 125, 311–316
ferruginea, 138, 172
minuta, 172
ptilocnemis, 49–56
pugnax, 125, 138
ruficollis, 125, 172
subruficollis, 138
tenuirostris, 138, 311–316
Calliope calliope, 143
Callipepla californica, 217–232
Calonectris leucomelas, 175
Calypte anna, 208–216, 217–232
Caracara, Crested, 178–179
Yellow-headed, 179
Caracara cheriway, 178–179
Cardinalis sinuatus, 188
Carpodacus erythrinus, 144
Catharus fuscescens, 182–183
guttatus, 143
minimus, 183
ustulatus, 143, 149–158
Cattle-Egret, Western, 31–40
caurina, *Strix occidentalis*, 277–294
Chamaea fasciata, 217–232
Charadrius hiaticula, 171–172
melodus, 172
Chickadee, Chestnut-backed, 217–232
Chiffchaff, Common, 143
Chloris sinica, 187
Chow, Joseph M., *see* Davis R. J.
Chroicocephalus ridibundus, 173
Clark, Kevin B., Hargrove, Lori, Ritt, Steven M., Myers, Stephen J., and Unitt, Philip, Occurrences of Three Species of Gnatcatchers in the San Gorgonio Pass, California, 196–207
Coccothraustes coccothraustes, 144
Coccyzus erythropthalmus, 170
Colaptes auratus, 141, 217–232
Condeso, T. Emiko, *see* Lumpkin, D.
Contopus pertinax, 180
sordidulus, 41–48
virens, 41–48, 180–181
(sp.), 126–127
Coot, Hawaiian, 31–40
Cormorant, Double-crested, 133
Corthylio calendula, 126, 141
couesi, Calidris ptilocnemis, 49–56
Cowbird, Brown-headed, 146
Cox, Cameron D., *see* Anholt, A.
Craig, Alan MacKenzie, *see* Dunn, J. L.
Creagrus furcatus, 173
Crossbill, Cassia, 187
Red, 145
White-winged, 145
Crotophaga sulcirostris, 170
Cuckoo, Black-billed, 170
Common, 138
Cuculus canorus, 138
Curlew, Bristle-thighed, 138
Curruca curruca, 134
Cyanocitta stelleri, 217–232
Cygnus columbianus, 133

Daptrius chimachima, 179
Davis, Raymond J., Rugg, Natalie M., Huhndorf, Michael H., and Chow, Joseph M., It's a Trap—The Case of the Butte Creek Territory of the Northern Spotted Owl, 277–294
Delichon lagopodum, 141
Douglas, Lily A., *see* Pandolfino, E. R.
Dove, Mourning, 217–232
Dovekie, 139
Dryocopus pileatus, 217–232
Duck, Hawaiian, 31–40
Laysan, 31–40
Mexican, 168–169
Duman, Konshau, Chip Calls in the Western and Eastern Wood-Pewees, 41–48
Dunn, Jon L., and Moore, Narca, In Memoriam: Alan MacKenzie Craig, 1935–2025 Founding, Saving, and Nurturing WFO, 70–82

Eagle, Bald, 133
White-tailed, 177
Egret, Western Cattle-, 31–40
Eider, King, 170
Spectacled × Common, 137
Elanoides forficatus, 177
Emberiza chrysophrys, 136
leucocephalos, 135
pallasi, 145
pusilla, 145
rustica, 145
Empidonax alnorum, 133, 181

difficilis, 217–232
Euphagus carolinus, 146

Falco peregrinus, 2–18
subbuteo, 133
Falcon, Peregrine, 2–18
Ficedula albicilla, 143
Figueira, Luiza, *see* Martins, P.
Finch, Cassin's, 130–131
House, 217–232
Purple, 144–145
Flicker, Northern, 141, 217–232
Flycatcher, Alder, 133, 181
Ash-throated, 217–232
Dark-sided, 128
Taiga, 143
Western, 217–232
Forde, Andrew McGinn, *see* Tamayo-Vázquez, A.
Freeland, Martin, Monk, Ethan, and Pyle, Peter, An Analysis of Plumage Characteristics of the Winter and Pacific Wrens, 86–103
Freeland, Martin, *see* Monk, E.
Fregata minor, 31–40
Frigatebird, Great, 31–40
Fringilla montifringilla, 144
Fulica alai, 31–40

Gallinago (spp.), 138
Gallinula galeata, 31–40
Gallinule, Hawaiian, 31–40
Gannet, Northern, 190
Garganey, 126, 168
Gavia arctica, 140
immer, 140
pacifica, 140
stellata, 140
Geothlypis philadelphia, 146
tolmiei, 146
Gnatcatcher, Black-tailed, 196–207
Blue-gray, 196–207, 217–232
California, 196–207
Godwit, Bar-tailed, 172
Goldeneye, Common, 138
Goldfinch, Lesser, 217–232
Goose, Emperor, 168
Greater White-fronted, 137
Hawaiian, 31–40
Snow, 137
Taiga Bean-, 168
Taiga/Tundra Bean-, 168
Tundra Bean-, 137
Gow, Elizabeth A., *see* Hohn T. I.
Grasshopper-Warbler, Middendorff's, 141
Pallas's, 128
Grebe, Horned, 138
Greenfinch, Oriental, 187
Greenshank, Common, 139
Grosbeak, Black-headed, 217–232
Pine, 128–130
Yellow, 188
Gull, American Herring, 140
Black-headed, 173
Common, 173–174
Iceland (Thayer's), 140
Laughing, 31–40
Ross's, 139
Short-billed, 139
Slaty-backed, 126
Swallow-tailed, 173
Vega, 140

Haemorhous cassinii, 130–131
mexicanus, 217–232
purpureus, 144–145
Haliaeetus albicilla, 177
leucocephalus, 133
Hamilton, Robert A., Book Review, *Birds of California's Channel Islands*, volume 1, 317–322
Hargrove, Lori, *see* Clark, K. B.
Hawfinch, 144
Hawk, Common Black, 178
Gray, 178
Hawaiian, 31–40
Swainson's, 239–246
Hellicar, Max, Concurrent Eccentric and Typical Replacement Sequences during Preformative Molt in the Spotted Towhee, 303–310
Helm, Joel, *see* Pohlen, Z. M.
Helopsaltes certhiola, 128
ochotensis, 141
Heron, Black-crowned Night, 31–40
Chinese Pond-, 126
Himantopus mexicanus, 31–40
Hippolais icterina, 127–128
Hirundo rustica, 141
hoactli, Nycticorax nycticorax, 31–40
Hobby, Eurasian, 133
Hohn, Triana I., Miller, Lukas, and Gow, Elizabeth A., Record High Spotted Towhee Nest in Metro Vancouver, British Columbia, 295–302

Honey-buzzard, Oriental, 64–67
hooveri/coronata, Setophaga coronata, 146
House-Martin, Siberian, 141
Huhndorf, Michael H., *see* Davis, R. J.
Hummingbird, Anna's, 208–216, 217–232
  Ruby-throated, 170
  Xantus's, 170–171
Hutcheson, Liam, *see* Anholt, A.
Hydrobates castro, 174
  furcatus, 126, 141
  leucorhous, 126
  tethys, 174
Hylocichla mustelina, 183

Ibis, Glossy, 177
Icterus bullockii, 217–232
Ixoreus naevius, 143

Jaeger, Pomarine, 139
Jay, California Scrub-, 217–232
  Steller's, 217–232
Jennings, Scott, *see* Lumpkin, D.
Johnson, James A., *see* Pohlen, Z. M.
Junco, Dark-eyed, 159–163, 217–232
Junco hyemalis, 159–163, 217–232
Jynx torquilla, 133

kamtschatkensis, Pinicola enucleator, 128–130
Kingbird, Thick-billed, 179–180
  Western, 126
Kingfisher, Belted, 133
Kinglet, Golden-crowned, 141
  Ruby-crowned, 126, 141
Kite, Swallow-tailed, 177
Knot, Great, 138, 311–315
  Red, 125, 311–315
knudseni, Himantopus mexicanus, 31–40

Lanius borealis, 141
Larus brachyrhynchus, 139
  canus, 173–174
  glaucoides, 140
  schistisagus, 126
  smithsonianus, 140
  vegae, 140
Larvivora sibilans, 135
Lehman, Paul E., *The Birds of Gambell and St. Lawrence Island, Alaska:* New Records and Other Updates, 2019–2025, 123–148
Leiothlypis celata, 146, 217–232
Leyva-García, Germán, and Macías-Duarte, Alberto, Outstanding Migration and Nesting Records of Swainson's Hawks in Southern Sonora, Mexico, 239–246
Limosa lapponica, 172
Littauer, Richard, The Oregon Dark-eyed Junco Should Be Called *Junco hyemalis oregana*, 159–163
Loghry, Jason P., *see* Anholt, A.
Longspur, Smith's, 187
Loon, Arctic, 140
  Common, 140
  Pacific, 140
  Red-throated, 140
Loverti, Vanessa, *see* Anholt, A.
Loxia curvirostra, 145
  leucoptera, 145
  sinesciuris, 187
lugens, Motacilla alba, 144
Lumpkin, David, Jennings, Scott, Warnock, Nils, and Condeso, T. Emiko, Changes in Breeding Bird Abundance after the Kincade Fire, Sonoma County, California, 217–232
lutescens, *Leiothlypis celata*, 146

Macías-Duarte, Alberto, *see* Leyva-García, G.
Mallard, 137
Mareca penelope, 137
Martin, Purple, 217–232
Martins, Pedro, Figueira, Luiza, Stephens, Jaime L., Alexander, John D., and Ralph, C. John, Site Use and Site Fidelity of Post-Breeding Swainson's Thrushes in Southern Oregon, 149–158
Meadowlark, Western, 217–232
Megaceryle alcyon, 133
Melanerpes formicivorus, 217–232
Melanitta deglandi, 19–30, 137
  perspicillata, 137
  stejnegeri, 138, 170
Melospiza lincolnii, 146
Melozone crissalis, 217–232
Miller, Lukas, *see* Hohn, T. I.
Mlodinow, Steven G., and Pyle, Peter, Identification and Molt Strategies of Eastern and Western Warbling-Vireos, 250–276
Molothrus ater, 146

Monk, Ethan, and Freeland, Martin, Variability in Common Call Notes of the Winter and Pacific Wrens, 104–122
Monk, Ethan, *see* Freeland, M.
Monticola solitarius, 182
Moore, Narca, *see* Dunn, J. L.
Morus bassanus, 190
Motacilla alba, 144
  tschutschensis, 184
Murrelet, Ancient, 139
  Marbled, 139
Muscicapa sibirica, 128
Mycteria americana, 176–177
Myers, Stephen J., *see* Clark, K. B.
Myiarchus cinerascens, 217–232
Myioborus miniatus, 188
Myna, Common, 31–40

Nannopterum auritum, 133
Nelson, Kristie N., *see* Shuford, W. D.
Night Heron, Black-crowned, 31–40
Numenius tahitiensis, 138
Nuthatch, White-breasted, 217–232
Nycticorax nycticorax, 31–40

oreganus, Pipilo maculatus, 295–310
Oreortyx pictus, 217–232
Oriole, Bullock's, 217–232
Owl, American Barn, 31–40
  Hawaiian Short-eared, 31–40
  Snowy, 178
  Spotted, 277–294

Pandolfino, Edward R., Book Review: *Birds of the Pacific States*, 68–69
Pandolfino, Edward R., and Douglas, Lily A., Christmas Bird Count Data Confirm Northward Contraction of the Nonbreeding Range of the White-winged Scoter, 19–30
Parkesia motacilla, 187–188
  noveboracensis, 146
Parula, Tropical, 57–63, 188
Passerella iliaca, 145
Passerina amoena, 217–232
Patagioenas fasciata, 217–232
Peralta-García, Anny, *see* Tamayo-Vázquez, A.
Pérez-Cañas, David F., *see* Tamayo-Vázquez, A.
Pernis ptilorhynchus, 64–67

Petrel, Band-rumped Storm-, 174
  Fork-tailed Storm-, 126, 141
  Jouanin's, 174
  Leach's Storm-, 126
  Wedge-rumped Storm-, 174
Pewee, Eastern Wood-, 31–40, 41–48, 180–181
  Greater, 180
  Western Wood-, 31–40, 41–48
Phaethon rubricauda, 174
Phalarope, Red-necked, 139
Phalaropus lobatus, 139
Pheucticus chrysopeplus, 188
  melanocephalus, 217–232
philippensis, Monticola solitarius, 182
Phoebastria albatrus, 174
Phoebe, Say's, 126
Phylloscopus borealis, 143
  collybita, 143
  fuscatus, 143, 181–182
  inornatus, 143
  trochilus, 141–143, 181
Pigeon, Band-tailed, 217–232
Pinicola enucleator, 128–130
Pintail, Northern, 137
Pipilo maculatus, 217–232, 295–310
Pipit, Olive-backed, 144
  Pechora, 144
  Richard's, 146–147
  Siberian, 144, 184–187
  Tree, 144
Piranga ludoviciana, 132, 217–232
Platalea ajaja, 177
Plectrophenax hyperboreus, 145
Plegadis falcinellus, 177
Plover, Black-bellied, 138
  Common Ringed, 171–172
  Pacific Golden, 138
  Piping, 172
  Siberian Sand-, 172
  Wilson's, 172
Pluvialis fulva, 138
  squatarola, 138
Podiceps auritus, 138
Poecile rufescens, 217–232
Pohlen, Zachary M., Johnson, James A., Benter, R. Bradley, and Helm, Joel, First North American Record of the Oriental Honey-Buzzard (*Pernis ptilorhynchus*), 64–67
Polioptila caerulea, 196–207, 217–232
  californica, 196–207
  melanura, 196–207
Pond-Heron, Chinese, 126
Progne subis, 217–232

Prunella montanella, 143
Psaltriparus minimus, 217–232
ptilocnemis, Calidris ptilocnemis, 49–56
pusillus, *Vireo bellii*, 233–238
Pyle, Peter, *see* Freeland, M., and *see* Mlodinow, S. G.
Pyrrhula pyrrhula, 144
Pyrrhuloxia, 188

Quail, California, 217–232
  Mountain, 217–232

Ralph, C. John, *see* Martins, P.
Redpoll, 145
Redstart, American, 146
  Slate-throated, 188
Reed Warbler, Blyth's, 134
Regulus satrapa, 141
Rhodostethia rosea, 139
Ritt, Steven M., *see* Clark, K. B.
Robin, American, 143, 217–232
  Rufous-backed, 184
  Rufous-tailed, 135
Rock-thrush, Blue, 182
Rosefinch, Common, 144
roselaari, Calidris canutus, 311
Rubythroat, Siberian, 143
Ruff, 125, 138
Rugg, Natalie M., *see* Davis, R. J.

Sandpiper, Buff-breasted, 138
  Common, 138
  Curlew, 138, 172
  Rock, 49–56
  Sharp-tailed, 138
  Upland, 172
  Wood, 139, 173
Sand-Plover, Siberian, 172
sandvicensis, Gallinula galeata, 31–40
sandwichensis, Asio flammeus, 31–40
Saxicola maurus, 143
Sayornis saya, 126
Scher, Robert L., Wing-Stripe Metrics for Identifying Subspecies of the Rock Sandpiper, 49–56
Scolopax minor, 172–173
Scoter, Stejneger's, 138, 170
  Surf, 137
  White-winged, 19–30, 137
Scrub-Jay, California, 217–232
Setophaga coronata, 146
  palmarum, 146
  petechia, 146
  pitiayumi, 57–63, 188
  ruticilla, 146
  striata, 146
  tigrina, 136, 188
  townsendi, 146
Shearwater, Short-tailed, 141
  Streaked, 175
  Wedge-tailed, 175–176
Shrike, Northern, 141
Shuford, W. David, and Nelson, Kristie N., Historical and Current Breeding Status of the Peregrine Falcon in the Eastern Sierra of Mono and Inyo Counties, California, 2–18
Sialia currucoides, 128
  mexicana, 217–232
Siegmund, Gregor-Fausto, *see* Aguillón, S. M.
Siskin, Pine, 145
Sitta carolinensis, 217–232
Skylark, Eurasian, 141
Snipe (spp.), 138
Somateria fischeri × *mollissima*, 137
  spectabilis, 170
Sparrow, American Tree, 145
  Chipping, 145
  Field, 187
  Fox, 145
  Golden-crowned, 146
  Lincoln's, 146
  Rufous-crowned, 217–232
  White-crowned, 145
Spatula querquedula, 126
Spinus pinus, 145
  psaltria, 217–232
Spizella passerina, 145
  pusilla, 187
Spizelloides arborea, 145
Spoonbill, Roseate, 177
Starling, European, 217–232
Stephens, Jaime L., *see* Martins, P.
Stercorarius pomarinus, 139
Sterna paradisaea, 140
Stilt, Hawaiian, 31–40
Stint, Little, 172
  Red-necked, 125, 172
Stonechat, Asian, 143
Stork, Wood, 176–177
Storm-Petrel, Band-rumped, 174
  Fork-tailed, 126, 141
  Leach's, 126
  Wedge-rumped, 174
Strix occidentalis, 277–294
Sturnella neglecta, 217–232
Sturnus vulgaris, 217–232

Swallow, Barn, 141
Violet-green, 217–232
Swan, Tundra, 133
Swift, Common, 126
Fork-tailed, 133
Swift, Roberta, *see* Anholt, A.
Synthliboramphus antiquus, 139

Tachycineta thalassina, 217–232
Tamayo-Vázquez, Angela, Peralta-García, Anny, Pérez-Cañas, David F., Valdez-Villavicencio, Jorge H., and Forde, Andrew McGinn, Least Bell's Vireo Nests in the Sierra San Pedro Mártir, Baja California, 233–238
Tanager, Western, 132, 217–232
Tarsiger cyanurus, 143
Tattler, Gray-tailed, 126
Teal, Green-winged, 137
Tern, Arctic, 140
Thrasher, California, 217–232
Curve-billed, 182
Thrush, Dusky, 143
Gray-cheeked, 183
Hermit, 143
Naumann's, 126
Song, 128, 183–184
Swainson's, 143, 149–158
Varied, 143
Wood, 183
Thryomanes bewickii, 217–232
Titmouse, Oak, 217–232
Towhee, California, 217–232
Spotted, 217–232, 295–310
Toxostoma curvirostre, 182
redivivum, 217–232
Tringa brevipes, 126
flavipes, 138–139
glareola, 139, 173
nebularia, 139
Troglodytes aedon, 217–232
hiemalis, 86–103, 104–122, 182
pacificus, 86–103, 104–122, 128
Tropicbird, Red-tailed, 174
tschuktschorum, Calidris ptilocnemis, 49–56
Turdus eunomus, 143
migratorius, 143, 217–232
naumanni, 126
philomelos, 128, 183–184
rufopalliatus, 184
Turnstone, Black, 125
Ruddy, 31–40
Tyrannus crassirostris, 179–180
verticalis, 126
Tyto furcata, 31–40

unalaschcensis, Passerella iliaca, 145
Unitt, Philip, *see* Clark, K. B.

Valdez-Villavicencio, Jorge H., *see* Tamayo-Vázquez, A.
Veery, 182–183
Vermivora chrysoptera, 188
cyanoptera, 188
Vireo, Bell's, 233–238
Cassin's, 217–232
Eastern Warbling-, 250–276
Hutton's, 217–232
Western Warbling-, 217–232, 250–276
Vireo bellii, 233–238
cassinii, 217–232
gilvus, 250–276
huttoni, 217–232
swainsoni, 217–232, 250–276

Wagtail, Eastern Yellow, 184
White, 144
Warbler, Arctic, 143
Blackpoll, 146
Blue-winged, 188
Blyth's Reed, 134
Cape May, 136, 188
Dusky, 143, 181–182
Golden-winged, 188
Icterine, 127–128
MacGillivray's, 146
Middendorff's Grasshopper-, 141
Mourning, 146
Myrtle, 146
Orange-crowned, 146, 217–232
Pallas's Grasshopper-, 128
Palm, 146
Townsend's, 146
Willow, 141–143, 181
Yellow, 146
Yellow-browed, 143
Yellow-rumped, 146
Warbling-Vireo (sp.), 141
Warnock, Nils, *see* Lumpkin, D.
Waterthrush, Louisiana, 187–188
Northern, 146
Waxwing, Bohemian, 133
Whitethroat, Lesser, 134
Wigeon, Eurasian, 137
Woodcock, American, 172–173
Woodpecker, Acorn, 217–232

Pileated, 217–232
Wood-Pewee, Eastern, 41–48, 180–181
Western, 41–48
(sp.), 126–127
Works, Aaron J., A Review of Life-Stage-Specific Predators of Four Endemic Hawaiian Waterbirds, 31–40
Wren, Bewick's, 217–232
Northern House, 217–232
Pacific, 86–103, 104–122, 128
Winter, 86–103, 104–122, 182
Wrentit, 217–232
Wryneck, Eurasian, 133

Xanthocephalus xanthocephalus, 131–132
Xia, Jake Y., Second Record of the Tropical Parula in California and the Species' Status in the Western United States, 57–63
Yellowlegs, Lesser, 138–139

zaboria, Passerella iliaca, 145
Zenaida macroura, 217–232
Zonotrichia atricapilla, 146
leucophrys, 145